

**CD63 Antibody (clone MEM-259)**  
**Mouse Monoclonal Antibody**  
**Catalog # ALS11982****Specification**

---

**CD63 Antibody (clone MEM-259) - Product Information**

Application	WB, IHC-P, ICC, IP, FC
Primary Accession	<a href="#">P08962</a>
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	26kDa KDa
Dilution	WB~~1:1000 IHC-P~~N/A ICC~~N/A IP~~N/A FC~~1:10~50

**CD63 Antibody (clone MEM-259) - Additional Information****Gene ID** 967**Other Names**

CD63 antigen, Granulophysin, Lysosomal-associated membrane protein 3, LAMP-3, Melanoma-associated antigen ME491, OMA81H, Ocular melanoma-associated antigen, Tetraspanin-30, Tspan-30, CD63, CD63, MLA1, TSPAN30

**Target/Specificity**

HPB-ALL T cell line

**Reconstitution & Storage**

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

**Precautions**

CD63 Antibody (clone MEM-259) is for research use only and not for use in diagnostic or therapeutic procedures.

**CD63 Antibody (clone MEM-259) - Protein Information****Name** CD63**Synonyms** MLA1, TSPAN30**Function**

Functions as a cell surface receptor for TIMP1 and plays a role in the activation of cellular signaling cascades. Plays a role in the activation of ITGB1 and integrin signaling, leading to the activation of AKT, FAK/PTK2 and MAP kinases. Promotes cell survival, reorganization of the actin cytoskeleton, cell adhesion, spreading and migration, via its role in the activation of AKT and FAK/PTK2. Plays a

role in VEGFA signaling via its role in regulating the internalization of KDR/VEGFR2. Plays a role in intracellular vesicular transport processes, and is required for normal trafficking of the PMEL luminal domain that is essential for the development and maturation of melanocytes. Plays a role in the adhesion of leukocytes onto endothelial cells via its role in the regulation of SELP trafficking. May play a role in mast cell degranulation in response to Ms4a2/FcεRI stimulation, but not in mast cell degranulation in response to other stimuli.

#### **Cellular Location**

Cell membrane; Multi-pass membrane protein. Lysosome membrane; Multi-pass membrane protein. Late endosome membrane; Multi-pass membrane protein. Endosome, multivesicular body. Melanosome. Secreted, extracellular exosome. Cell surface. Note=Also found in Weibel-Palade bodies of endothelial cells (PubMed:10793155). Located in platelet dense granules (PubMed:7682577). Detected in a subset of pre-melanosomes Detected on intraluminal vesicles (ILVs) within multivesicular bodies (PubMed:21962903).

#### **Tissue Location**


Detected in platelets (at protein level). Dysplastic nevi, radial growth phase primary melanomas, hematopoietic cells, tissue macrophages.

### **CD63 Antibody (clone MEM-259) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### **CD63 Antibody (clone MEM-259) - Images**



Anti-CD63 antibody IHC of human spleen.

### **CD63 Antibody (clone MEM-259) - Background**

Functions as cell surface receptor for TIMP1 and plays a role in the activation of cellular signaling cascades. Plays a role in the activation of ITGB1 and integrin signaling, leading to the activation of AKT, FAK/PTK2 and MAP kinases. Promotes cell survival, reorganization of the actin cytoskeleton,

cell adhesion, spreading and migration, via its role in the activation of AKT and FAK/PTK2. Plays a role in VEGFA signaling via its role in regulating the internalization of KDR/VEGFR2. Plays a role in intracellular vesicular transport processes, and is required for normal trafficking of the PMEL luminal domain that is essential for the development and maturation of melanocytes. Plays a role in the adhesion of leukocytes onto endothelial cells via its role in the regulation of SELP trafficking. May play a role in mast cell degranulation in response to Ms4a2/FcεRI stimulation, but not in mast cell degranulation in response to other stimuli.

#### **CD63 Antibody (clone MEM-259) - References**

Hotta H.,et al.Cancer Res. 48:2955-2962(1988).  
Rapp G.,et al.DNA Cell Biol. 9:479-485(1990).  
Metzelaar M.J.,et al.J. Biol. Chem. 266:3239-3245(1991).  
Wang M.X.,et al.Arch. Ophthalmol. 110:399-404(1992).  
Hotta H.,et al.Biochem. Biophys. Res. Commun. 185:436-442(1992).