

**CD34 Antibody (FITC)**  
**Mouse Monoclonal Antibody**  
**Catalog # ALS12754****Specification**

---

**CD34 Antibody (FITC) - Product Information**

Application	IHC
Primary Accession	<a href="#">P28906</a>
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	41kDa KDa

**CD34 Antibody (FITC) - Additional Information****Gene ID** 947**Other Names**

Hematopoietic progenitor cell antigen CD34, CD34, CD34

**Target/Specificity**

Recognizes human CD34 Class III epitope which is resistant to neuraminidase, chymopapain and glycoprotease.

**Reconstitution & Storage**

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

**Precautions**

CD34 Antibody (FITC) is for research use only and not for use in diagnostic or therapeutic procedures.

**CD34 Antibody (FITC) - Protein Information****Name** CD34**Function**

Possible adhesion molecule with a role in early hematopoiesis by mediating the attachment of stem cells to the bone marrow extracellular matrix or directly to stromal cells. Could act as a scaffold for the attachment of lineage specific glycans, allowing stem cells to bind to lectins expressed by stromal cells or other marrow components. Presents carbohydrate ligands to selectins.

**Cellular Location**

Membrane; Single-pass type I membrane protein.

**Tissue Location**


Selectively expressed on hematopoietic progenitor cells and the small vessel endothelium of a variety of tissues

## CD34 Antibody (FITC) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## CD34 Antibody (FITC) - Images



Anti-CD34 antibody IHC of human lung.



Anti-CD34 antibody IHC of human placenta.

## CD34 Antibody (FITC) - Background

Possible adhesion molecule with a role in early hematopoiesis by mediating the attachment of stem cells to the bone marrow extracellular matrix or directly to stromal cells. Could act as a scaffold for the attachment of lineage specific glycans, allowing stem cells to bind to lectins expressed by stromal cells or other marrow components. Presents carbohydrate ligands to selectins.

**CD34 Antibody (FITC) - References**

Simmons D.L.,et al.J. Immunol. 148:267-271(1992).  
Satterthwaite A.B.,et al.Genomics 12:788-794(1992).  
Nakamura Y.,et al.Exp. Hematol. 21:236-242(1993).  
Freund D.,et al.Submitted (JUN-2002) to the EMBL/GenBank/DDBJ databases.  
Ota T.,et al.Nat. Genet. 36:40-45(2004).