

BAR / BFAR Antibody (C-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS13551**Specification**

BAR / BFAR Antibody (C-Terminus) - Product Information

Application	IF, WB, IHC
Primary Accession	O9NZS9
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	53kDa KDa

BAR / BFAR Antibody (C-Terminus) - Additional Information**Gene ID** 51283**Other Names**

Bifunctional apoptosis regulator, RING finger protein 47, BFAR, BAR, RNF47

Target/Specificity

Human BFAR

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

BAR / BFAR Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

BAR / BFAR Antibody (C-Terminus) - Protein Information**Name** BFAR**Synonyms** BAR, RNF47**Function**

Apoptosis regulator. Has anti-apoptotic activity, both for apoptosis triggered via death-receptors and via mitochondrial factors.

Cellular Location

Endoplasmic reticulum membrane; Multi-pass membrane protein

Tissue Location


Expressed highly in brain, moderately in small intestine, weakly in testes and only faintly in liver and skeletal muscle. Not expressed in heart, kidney, lung and spleen

BAR / BFAR Antibody (C-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


BAR / BFAR Antibody (C-Terminus) - Images



Immunofluorescence of BFAR in mouse kidney tissue with BFAR antibody at 20 ug/ml.



Western blot analysis of BFAR in human kidney tissue lysate with BFAR antibody at (A) 1 and (B)...



Anti-BFAR antibody IHC of human brain, cerebellum.

BAR / BFAR Antibody (C-Terminus) - Background

Apoptosis regulator. Has anti-apoptotic activity, both for apoptosis triggered via death-receptors and via mitochondrial factors.

BAR / BFAR Antibody (C-Terminus) - References

- Zhang H.,et al.Proc. Natl. Acad. Sci. U.S.A. 97:2597-2602(2000).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Martin J.,et al.Nature 432:988-994(2004).
Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.
Roth W.,et al.Cell Death Differ. 10:1178-1187(2003).