

BCAS3 Antibody (N-Terminus)

Rabbit Polyclonal Antibody Catalog # ALS13555

Specification

BCAS3 Antibody (N-Terminus) - Product Information

Application IF

Primary Accession <u>Q9H6U6</u>

Reactivity Human, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Calculated MW 101kDa KDa

BCAS3 Antibody (N-Terminus) - Additional Information

Gene ID 54828

Other Names

Breast carcinoma-amplified sequence 3 {ECO:0000312|HGNC:HGNC:14347, ECO:0000312|MIM:607470}, GAOB1, BCAS3 {ECO:0000312|HGNC:HGNC:14347, ECO:0000312|MIM:607470}

Target/Specificity

Human BCAS3

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

BCAS3 Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

BCAS3 Antibody (N-Terminus) - Protein Information

Name BCAS3 {ECO:0000312|HGNC:HGNC:14347, ECO:0000312|MIM:607470}

Function

Plays a role in angiogenesis. Participates in the regulation of cell polarity and directional endothelial cell migration by mediating both the activation and recruitment of CDC42 and the reorganization of the actin cytoskeleton at the cell leading edge. Promotes filipodia formation (By similarity). Functions synergistically with PELP1 as a transcriptional coactivator of estrogen receptor- responsive genes. Stimulates histone acetyltransferase activity. Binds to chromatin. Plays a regulatory role in autophagic activity. In complex with PHAF1, associates with the preautophagosomal structure during both non-selective and selective autophagy (PubMed:33499712). Probably binds phosphatidylinositol 3-phosphate (PtdIns3P) which would mediate the recruitment preautophagosomal structures (PubMed:33499712).



Cellular Location

Nucleus. Cytoplasm. Cytoplasm, cytoskeleton {ECO:0000250|UniProtKB:Q8CCN5}. Preautophagosomal structure. Note=Localizes in the cytoplasm in stationary cells. Translocates from the cytoplasm to the leading edge in motile cells. Colocalizes with microtubules and intermediate filaments in both stationary and motile cells (By similarity) Associates with chromatin. Recruited to estrogen receptor-induced promoters in a PELP1-dependent manner. The BCAS3:PHAF1 complex is recruited to the preautophagosomal structures adjacent to the damaged mitochondria upon mitophagy in a PRKN-PINK1 dependent manner (PubMed:33499712). {ECO:0000250|UniProtKB:Q8CCN5, ECO:0000269|PubMed:17505058, ECO:0000269|PubMed:33499712}

Tissue Location


Expressed in stomach, liver, lung, kidney, prostate, testis, thyroid gland, adrenal gland, brain, heart, skeletal muscle, colon, spleen, small intestine, placenta, blood leukocyte and mammary epithelial cells. Expressed in undifferentiated ES cells Expressed in blood islands and nascent blood vessels derived from differentiated ES cells into embryoid bodies (BD). Expressed in endothelial cells. Not detected in brain. Expressed in brain tumors (at protein level). Expressed in brain. Highly expressed in breast cancers and in glioma cell lines.

BCAS3 Antibody (N-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

BCAS3 Antibody (N-Terminus) - Images



Immunofluorescence of BCAS3 in human breast carcinoma tissue with BCAS3 antibody at 20 ug/ml.

BCAS3 Antibody (N-Terminus) - Background

Plays a role in angiogenesis. Participates in the regulation of cell polarity and directional





Tel: 858.875.1900 Fax: 858.875.1999

endothelial cell migration by mediating both the activation and recruitment of CDC42 and the reorganization of the actin cytoskeleton at the cell leading edge. Promotes filipodia formation (By similarity). Functions synergistically with PELP1 as a transcriptional coactivator of estrogen receptor-responsive genes. Stimulates histone acetyltransferase activity. Binds to chromatin.

BCAS3 Antibody (N-Terminus) - References

Baerlund M., et al. Genes Chromosomes Cancer 35:311-317(2002). Ota T., et al. Nat. Genet. 36:40-45(2004). Zody M.C., et al. Nature 440:1045-1049(2006). Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases. Bauer M., et al. Submitted (NOV-2002) to the EMBL/GenBank/DDBJ databases.