

CCDC106 Antibody (C-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS13973**Specification**

CCDC106 Antibody (C-Terminus) - Product Information

Application	IF, WB, IHC
Primary Accession	O9BWC9
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	32kDa KDa

CCDC106 Antibody (C-Terminus) - Additional Information**Gene ID** 29903**Other Names**

Coiled-coil domain-containing protein 106, CCDC106

Target/Specificity

Human CCDC106

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

CCDC106 Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

CCDC106 Antibody (C-Terminus) - Protein Information**Name** CCDC106**Function**

Promotes the degradation of p53/TP53 protein and inhibits its transactivity.

Cellular Location

Nucleus. Note=Colocalizes with p53/TP53

Volume


50 µl

CCDC106 Antibody (C-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


CCDC106 Antibody (C-Terminus) - Images




Immunofluorescence of CCDC106 in rat brain tissue with CCDC106 antibody at 20 ug/ml.



Western blot analysis of CCDC106 in human brain tissue lysate with CCDC106 antibody at (A) 0.5...



Anti-CCDC106 antibody IHC of human breast.



Anti-CCDC106 antibody IHC of human uterus.

CCDC106 Antibody (C-Terminus) - Background

Promotes the degradation of p53/TP53 protein and inhibits its transactivity.

CCDC106 Antibody (C-Terminus) - References

Zhou J., et al. FEBS Lett. 584:1085-1090(2010).

Yu W., et al. Genome Res. 7:353-358(1997).

Ota T., et al. Nat. Genet. 36:40-45(2004).

Ebert L., et al. Submitted (MAY-2004) to the EMBL/GenBank/DDBJ databases.