

NOS3 / eNOS Antibody (aa1181-1194) Rabbit Polyclonal Antibody Catalog # ALS14207

# Specification

# NOS3 / eNOS Antibody (aa1181-1194) - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW Dilution WB, IHC-P <u>P29474</u> Human, Rabbit, Monkey Rabbit Polyclonal 133kDa KDa WB~~1:1000 IHC-P~~N/A

### NOS3 / eNOS Antibody (aa1181-1194) - Additional Information

Gene ID 4846

**Other Names** Nitric oxide synthase, endothelial, 1.14.13.39, Constitutive NOS, cNOS, EC-NOS, Endothelial NOS, eNOS, NOS type III, NOSIII, NOS3

Target/Specificity

Recognizes eNOS/NOS III, Mr ~135kD. Species cross-reactivity: Human and bovine. Predicted to cross-react with mouse, guinea pig, porcine, rat and canine based on sequence homology.

#### **Reconstitution & Storage**

May be stored at 4°C for short-term only. For long-term storage and to avoid repeated freezing and thawing, aliquot and store at -20°C. Aliquots are stable for at least 12 months at -20°C

**Precautions** NOS3 / eNOS Antibody (aa1181-1194) is for research use only and not for use in diagnostic or therapeutic procedures.

### NOS3 / eNOS Antibody (aa1181-1194) - Protein Information

### Name NOS3 (HGNC:7876)

Function

Produces nitric oxide (NO) which is implicated in vascular smooth muscle relaxation through a cGMP-mediated signal transduction pathway (PubMed:<a

href="http://www.uniprot.org/citations/1378832" target="\_blank">1378832</a>). NO mediates vascular endothelial growth factor (VEGF)-induced angiogenesis in coronary vessels and promotes blood clotting through the activation of platelets.

# **Cellular Location**

Cell membrane. Membrane, caveola. Cytoplasm, cytoskeleton. Golgi apparatus. Note=Specifically



associates with actin cytoskeleton in the G2 phase of the cell cycle; which is favored by interaction with NOSIP and results in a reduced enzymatic activity

**Tissue Location** Platelets, placenta, liver and kidney.


Volume 50 μl

# NOS3 / eNOS Antibody (aa1181-1194) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

NOS3 / eNOS Antibody (aa1181-1194) - Images



Anti-ENOS antibody IHC of human spleen.

### NOS3 / eNOS Antibody (aa1181-1194) - Background

Produces nitric oxide (NO) which is implicated in vascular smooth muscle relaxation through a cGMP-mediated signal transduction pathway. NO mediates vascular endothelial growth factor (VEGF)-induced angiogenesis in coronary vessels and promotes blood clotting through the activation of platelets.

### NOS3 / eNOS Antibody (aa1181-1194) - References

Janssens S.P., et al.J. Biol. Chem. 267:14519-14522(1992). Janssens S.P., et al.J. Biol. Chem. 267:22694-22694(1992). Marsden P.A., et al.FEBS Lett. 307:287-293(1992). Marsden P.A., et al.J. Biol. Chem. 268:17478-17488(1993). Nadaud S.A., et al.Biochem. Biophys. Res. Commun. 198:1027-1033(1994).