

CREB1 / CREB Antibody (clone 3F1-1B2)
Mouse Monoclonal Antibody
Catalog # ALS14327**Specification**

CREB1 / CREB Antibody (clone 3F1-1B2) - Product Information

Application	WB, IF, IHC
Primary Accession	P16220
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	37kDa KDa

CREB1 / CREB Antibody (clone 3F1-1B2) - Additional Information**Gene ID** 1385**Other Names**

Cyclic AMP-responsive element-binding protein 1, CREB-1, cAMP-responsive element-binding protein 1, CREB1

Target/Specificity

Human CREB1

Reconstitution & Storage

Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.

Precautions

CREB1 / CREB Antibody (clone 3F1-1B2) is for research use only and not for use in diagnostic or therapeutic procedures.

CREB1 / CREB Antibody (clone 3F1-1B2) - Protein Information**Name** CREB1**Function**

Phosphorylation-dependent transcription factor that stimulates transcription upon binding to the DNA cAMP response element (CRE), a sequence present in many viral and cellular promoters (By similarity). Transcription activation is enhanced by the TORC coactivators which act independently of Ser-119 phosphorylation (PubMed:14536081). Involved in different cellular processes including the synchronization of circadian rhythmicity and the differentiation of adipose cells (By similarity). Regulates the expression of apoptotic and inflammatory response factors in cardiomyocytes in response to ERFE-mediated activation of AKT signaling (By similarity).

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00312, ECO:0000255|PROSITE-ProRule:PRU00978, ECO:0000269|PubMed:12552083}

CREB1 / CREB Antibody (clone 3F1-1B2) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


CREB1 / CREB Antibody (clone 3F1-1B2) - Images




Western blot of CREB1 expression in transfected 293T cell line.



Immunofluorescence of monoclonal antibody to CREB1 on HeLa cell. [antibody concentration 10 ug/ml].



Anti-CREB1 / CREB antibody IHC of human breast.



Anti-CREB1 / CREB antibody IHC of human tonsil.

CREB1 / CREB Antibody (clone 3F1-1B2) - Background

Phosphorylation-dependent transcription factor that stimulates transcription upon binding to the DNA cAMP response element (CRE), a sequence present in many viral and cellular promoters. Transcription activation is enhanced by the TORC coactivators which act independently of Ser-133 phosphorylation. Involved in different cellular processes including the synchronization of circadian rhythmicity and the differentiation of adipose cells.

CREB1 / CREB Antibody (clone 3F1-1B2) - References

Berkowitz L.A.,et al.Proc. Natl. Acad. Sci. U.S.A. 87:5258-5262(1990).
Yoshimura T.,et al.EMBO J. 9:2537-2542(1990).
Waeber G.,et al.Trans. Assoc. Am. Physicians 103:28-37(1990).
Hoeffler J.P.,et al.Science 242:1430-1433(1988).
Short M.L.,et al.Nucleic Acids Res. 19:4290-4290(1991).