

Ferritin Heavy Chain / FTH1 Antibody (clone 3F8)

Mouse Monoclonal Antibody Catalog # ALS14843

Specification

Ferritin Heavy Chain / FTH1 Antibody (clone 3F8) - Product Information

Application WB, IHC-P, E
Primary Accession P02794
Reactivity Human
Host Mouse
Clonality Monoclonal
Calculated MW 21kDa KDa
Dilution WB~~1:1000
IHC-P~~N/A

E~~N/A

Ferritin Heavy Chain / FTH1 Antibody (clone 3F8) - Additional Information

Gene ID 2495

Other Names

Ferritin heavy chain, Ferritin H subunit, 1.16.3.1, Cell proliferation-inducing gene 15 protein, Ferritin heavy chain, N-terminally processed, FTH1, FTH, FTHL6

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

Precautions

Ferritin Heavy Chain / FTH1 Antibody (clone 3F8) is for research use only and not for use in diagnostic or therapeutic procedures.

Ferritin Heavy Chain / FTH1 Antibody (clone 3F8) - Protein Information

Name FTH1

Synonyms FTH, FTHL6

Function

Stores iron in a soluble, non-toxic, readily available form. Important for iron homeostasis. Has ferroxidase activity (PubMed:9003196). Iron is taken up in the ferrous form and deposited as ferric hydroxides after oxidation (PubMed:9003196). Also plays a role in delivery of iron to cells (By similarity). Mediates iron uptake in capsule cells of the developing kidney (By similarity). Delivery to lysosomes is mediated by the cargo receptor NCOA4 for autophagic degradation and release of iron (PubMed:24695223, PubMed:26436293).



Cellular Location

Cytoplasm. Lysosome. Cytoplasmic vesicle, autophagosome

Tissue Location

Expressed in the liver.

Volume 50 μl


Ferritin Heavy Chain / FTH1 Antibody (clone 3F8) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

0

Ferritin Heavy Chain / FTH1 Antibody (clone 3F8) - Images



Ferritin Heavy Chain / FTH1 Antibody (clone 3F8) - Background

Stores iron in a soluble, non-toxic, readily available form. Important for iron homeostasis. Has ferroxidase activity. Iron is taken up in the ferrous form and deposited as ferric hydroxides after oxidation. Also plays a role in delivery of iron to cells. Mediates iron uptake in capsule cells of the developing kidney (By similarity).

Ferritin Heavy Chain / FTH1 Antibody (clone 3F8) - References

Costanzo F., et al.EMBO J. 3:23-27(1984). Boyd D., et al.J. Biol. Chem. 260:11755-11761(1985). Chou C.-C., et al.Mol. Cell. Biol. 6:566-573(1986).





Costanzo F., et al. Nucleic Acids Res. 14:721-736(1986). Hentze M.W., et al. Proc. Natl. Acad. Sci. U.S.A. 83:7226-7230(1986).