

ALB / Serum Albumin Antibody (clone BGN/1328/33 (UA33))
Mouse Monoclonal Antibody
Catalog # ALS14997**Specification****ALB / Serum Albumin Antibody (clone BGN/1328/33 (UA33)) - Product Information**

Application	IHC
Primary Accession	P02768
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	69kDa KDa

ALB / Serum Albumin Antibody (clone BGN/1328/33 (UA33)) - Additional Information**Gene ID** 213**Other Names**

Serum albumin, ALB

Target/Specificity

Native

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

ALB / Serum Albumin Antibody (clone BGN/1328/33 (UA33)) is for research use only and not for use in diagnostic or therapeutic procedures.

ALB / Serum Albumin Antibody (clone BGN/1328/33 (UA33)) - Protein Information**Name** ALB**Function**

Binds water, Ca(2+), Na(+), K(+), fatty acids, hormones, bilirubin and drugs (Probable). Its main function is the regulation of the colloidal osmotic pressure of blood (Probable). Major zinc transporter in plasma, typically binds about 80% of all plasma zinc (PubMed:19021548). Major calcium and magnesium transporter in plasma, binds approximately 45% of circulating calcium and magnesium in plasma (By similarity). Potentially has more than two calcium-binding sites and might additionally bind calcium in a non-specific manner (By similarity). The shared binding site between zinc and calcium at residue Asp-273 suggests a crosstalk between zinc and calcium transport in the blood (By similarity). The rank order of affinity is zinc > calcium > magnesium (By similarity). Binds to the bacterial siderophore enterobactin and inhibits enterobactin-mediated iron uptake of E.coli from ferric transferrin, and may thereby limit the utilization of iron and growth of enteric bacteria such as E.coli (PubMed:6234017). Does not prevent iron uptake by the bacterial siderophore

aerobactin (PubMed:6234017).

Cellular Location

Secreted.


Tissue Location

Plasma.

ALB / Serum Albumin Antibody (clone BGN/1328/33 (UA33)) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ALB / Serum Albumin Antibody (clone BGN/1328/33 (UA33)) - Images

Anti-Serum Albumin antibody IHC of human liver.

ALB / Serum Albumin Antibody (clone BGN/1328/33 (UA33)) - Background

Serum albumin, the main protein of plasma, has a good binding capacity for water, Ca^{2+} , Na^{+} , K^{+} , fatty acids, hormones, bilirubin and drugs. Its main function is the regulation of the colloidal osmotic pressure of blood. Major zinc transporter in plasma, typically binds about 80% of all plasma zinc.

ALB / Serum Albumin Antibody (clone BGN/1328/33 (UA33)) - References

Lawn R.M., et al. Nucleic Acids Res. 9:6103-6114(1981).
Dugaiczky A., et al. Proc. Natl. Acad. Sci. U.S.A. 79:71-75(1982).
Minghetti P.P., et al. J. Biol. Chem. 261:6747-6757(1986).
Yang S., et al. Submitted (SEP-1999) to the EMBL/GenBank/DDBJ databases.
Huang M.C., et al. Submitted (AUG-2002) to the EMBL/GenBank/DDBJ databases.