

# GNPDA1 Antibody (aa100-150)

Rabbit Polyclonal Antibody Catalog # ALS15293

### **Specification**

### GNPDA1 Antibody (aa100-150) - Product Information

Application WB, IHC Primary Accession P46926

Reactivity Human, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Calculated MW 33kDa KDa

### GNPDA1 Antibody (aa100-150) - Additional Information

Gene ID 10007

#### **Other Names**

Glucosamine-6-phosphate isomerase 1, 3.5.99.6, Glucosamine-6-phosphate deaminase 1, GNPDA 1, GlcN6P deaminase 1, Oscillin, GNPDA1, GNPI, HLN, KIAA0060

# **Target/Specificity**

Human GNPDA1

### **Reconstitution & Storage**

Store at 4°C for short term applications. For long term storage, aliquot and store at -20°C.

#### **Precautions**

GNPDA1 Antibody (aa100-150) is for research use only and not for use in diagnostic or therapeutic procedures.

# GNPDA1 Antibody (aa100-150) - Protein Information

Name GNPDA1 {ECO:0000303|PubMed:26887390, ECO:0000312|HGNC:HGNC:4417}

#### **Function**

Catalyzes the reversible conversion of alpha-D-glucosamine 6- phosphate (GlcN-6P) into beta-D-fructose 6-phosphate (Fru-6P) and ammonium ion, a regulatory reaction step in de novo uridine diphosphate-N-acetyl-alpha-D-glucosamine (UDP-GlcNAc) biosynthesis via hexosamine pathway. Deamination is coupled to aldo-keto isomerization mediating the metabolic flux from UDP-GlcNAc toward Fru-6P. At high ammonium level can drive amination and isomerization of Fru-6P toward hexosamines and UDP-GlcNAc synthesis (PubMed:<a

href="http://www.uniprot.org/citations/21807125" target="\_blank">21807125</a>, PubMed:<a href="http://www.uniprot.org/citations/26887390" target="\_blank">26887390</a>). Has a role in fine tuning the metabolic fluctuations of cytosolic UDP-GlcNAc and their effects on hyaluronan synthesis that occur during tissue remodeling (PubMed:<a

href="http://www.uniprot.org/citations/26887390" target="\_blank">26887390</a>). Seems to trigger calcium oscillations in mammalian eggs. These oscillations serve as the essential trigger for



egg activation and early development of the embryo (By similarity).

Cellular Location Cytoplasm.


Volume 100 μl

# **GNPDA1** Antibody (aa100-150) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# GNPDA1 Antibody (aa100-150) - Images



Western blot of GNPDA1 in human spleen lysate in the 1) absence and 2) presence of immunizing...



Anti-GNPDA1 antibody IHC of human kidney.



# GNPDA1 Antibody (aa100-150) - Background

Seems to trigger calcium oscillations in mammalian eggs. These oscillations serve as the essential trigger for egg activation and early development of the embryo (By similarity).

# **GNPDA1** Antibody (aa100-150) - References

Wolosker H.,et al.FASEB J. 12:91-99(1998). Shevchenko V.,et al.Gene 216:31-38(1998). Hirata S.,et al.Submitted (OCT-1997) to the EMBL/GenBank/DDBJ databases. Nomura N.,et al.DNA Res. 1:223-229(1994). Ota T.,et al.Nat. Genet. 36:40-45(2004).