

**CANX / Calnexin Antibody (C-Terminus)**  
**Rabbit Polyclonal Antibody**  
**Catalog # ALS15334****Specification**

---

**CANX / Calnexin Antibody (C-Terminus) - Product Information**

Application	WB, IHC, IF
Primary Accession	<a href="#">P27824</a>
Reactivity	Human, Mouse, Rat, Rabbit, Hamster, Monkey, Pig, Quail, Sheep, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	68kDa KDa

**CANX / Calnexin Antibody (C-Terminus) - Additional Information****Gene ID** 821**Other Names**

Calnexin, IP90, Major histocompatibility complex class I antigen-binding protein p88, p90, CANX

**Target/Specificity**

Detects ~90 kD protein.

**Reconstitution & Storage**

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

**Precautions**

CANX / Calnexin Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

**CANX / Calnexin Antibody (C-Terminus) - Protein Information****Name** CANX**Function**

Calcium-binding protein that interacts with newly synthesized monoglucosylated glycoproteins in the endoplasmic reticulum. It may act in assisting protein assembly and/or in the retention within the ER of unassembled protein subunits. It seems to play a major role in the quality control apparatus of the ER by the retention of incorrectly folded proteins. Associated with partial T-cell antigen receptor complexes that escape the ER of immature thymocytes, it may function as a signaling complex regulating thymocyte maturation. Additionally it may play a role in receptor-mediated endocytosis at the synapse.

**Cellular Location**

Endoplasmic reticulum membrane; Single-pass type I membrane protein. Mitochondrion membrane {ECO:0000250|UniProtKB:P24643}; Single-pass type I membrane protein. Melanosome


membrane; Single-pass type I membrane protein. Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV (PubMed:12643545, PubMed:17081065). The palmitoylated form preferentially localizes to the perinuclear rough ER (PubMed:22314232) Localizes to endoplasmic reticulum mitochondria-associated membrane (MAMs) that connect the endoplasmic reticulum and the mitochondria (By similarity). {ECO:0000250|UniProtKB:P24643, ECO:0000269|PubMed:12643545, ECO:0000269|PubMed:17081065, ECO:0000269|PubMed:22314232}

## CANX / Calnexin Antibody (C-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


## CANX / Calnexin Antibody (C-Terminus) - Images



Calnexin, Rat tissue mix.



Anti-Calnexin antibody IHC of human liver.



Calnexin, HeLa cell lysates.

### **CANX / Calnexin Antibody (C-Terminus) - Background**

Calcium-binding protein that interacts with newly synthesized glycoproteins in the endoplasmic reticulum. It may act in assisting protein assembly and/or in the retention within the ER of unassembled protein subunits. It seems to play a major role in the quality control apparatus of the ER by the retention of incorrectly folded proteins. Associated with partial T-cell antigen receptor complexes that escape the ER of immature thymocytes, it may function as a signaling complex regulating thymocyte maturation. Additionally it may play a role in receptor-mediated endocytosis at the synapse.

### **CANX / Calnexin Antibody (C-Terminus) - References**

David V., et al. J. Biol. Chem. 268:9585-9592(1993).  
Tjoelker L.W., et al. Biochemistry 33:3229-3236(1994).  
Honore B., et al. Electrophoresis 15:482-490(1994).  
Hansen J.J., et al. Submitted (FEB-2000) to the EMBL/GenBank/DDBJ databases.  
Ota T., et al. Nat. Genet. 36:40-45(2004).