

LAIR1 / CD305 Antibody (Internal)

Goat Polyclonal Antibody Catalog # ALS15371

Specification

LAIR1 / CD305 Antibody (Internal) - Product Information

Application

Primary Accession

Reactivity

Host

Clonality

Calculated MW

Dilution

WB, IHC-P, E
Q6GTX8

Human
Goat
Polyclonal
31kDa KDa
WB~~1:1000
IHC-P~~N/A

E~~N/A

LAIR1 / CD305 Antibody (Internal) - Additional Information

Gene ID 3903

Other Names

Leukocyte-associated immunoglobulin-like receptor 1, LAIR-1, hLAIR1, CD305, LAIR1, CD305

Target/Specificity

Human LAIR1 / LAIR-1. This antibody is expected to recognize both isoforms (NP_002278.1; NP_068352.1).

Reconstitution & Storage

Store at -20°C. Minimize freezing and thawing.

Precautions

LAIR1 / CD305 Antibody (Internal) is for research use only and not for use in diagnostic or therapeutic procedures.

LAIR1 / CD305 Antibody (Internal) - Protein Information

Name LAIR1

Synonyms CD305

Function

Functions as an inhibitory receptor that plays a constitutive negative regulatory role on cytolytic function of natural killer (NK) cells, B-cells and T-cells. Activation by Tyr phosphorylation results in recruitment and activation of the phosphatases PTPN6 and PTPN11. It also reduces the increase of intracellular calcium evoked by B-cell receptor ligation. May also play its inhibitory role independently of SH2-containing phosphatases. Modulates cytokine production in CD4+ T- cells, down-regulating IL2 and IFNG production while inducing secretion of transforming growth factor beta. Also down-regulates IgG and IgE production in B-cells as well as IL8, IL10 and TNF secretion.



Inhibits proliferation and induces apoptosis in myeloid leukemia cell lines as well as prevents nuclear translocation of NF-kappa-B p65 subunit/RELA and phosphorylation of I-kappa-B alpha/CHUK in these cells. Inhibits the differentiation of peripheral blood precursors towards dendritic cells.

Cellular Location

Cell membrane; Single-pass type I membrane protein

Tissue Location


Expressed on the majority of peripheral mononuclear cells, including natural killer (NK) cells, T-cells, B-cells, monocytes, and dendritic cells. Highly expressed in naive T-cells and B-cells but no expression on germinal center B-cells. Abnormally low expression in naive B-cells from HIV-1 infected patients. Very low expression in NK cells from a patient with chronic active Epstein-Barr virus infection.

LAIR1 / CD305 Antibody (Internal) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

LAIR1 / CD305 Antibody (Internal) - Images



LAIR1 antibody (2 ug/ml) staining of Human Lymph Node lysate (35 ug protein/ml in RIPA buffer).





Anti-CD305 / LAIR-1 antibody IHC of human tonsil.

LAIR1 / CD305 Antibody (Internal) - Background

Functions as an inhibitory receptor that plays a constitutive negative regulatory role on cytolytic function of natural killer (NK) cells, B-cells and T-cells. Activation by Tyr phosphorylation results in recruitment and activation of the phosphatases PTPN6 and PTPN11. It also reduces the increase of intracellular calcium evoked by B-cell receptor ligation. May also play its inhibitory role independently of SH2-containing phosphatases. Modulates cytokine production in CD4+ T-cells, down- regulating IL2 and IFNG production while inducing secretion of transforming growth factor beta. Down-regulates also IgG and IgE production in B-cells as well as IL8, IL10 and TNF secretion. Inhibits proliferation and induces apoptosis in myeloid leukemia cell lines as well as prevents nuclear translocation of NF-kappa-B p65 subunit/RELA and phosphorylation of I-kappa-B alpha/CHUK in these cells. Inhibits the differentiation of peripheral blood precursors towards dendritic cells.

LAIR1 / CD305 Antibody (Internal) - References

Meyaard L.,et al.Immunity 7:283-290(1997).

Meyaard L.,et al.J. Immunol. 162:5800-5804(1999).

Xu M.-J.,et al.J. Biol. Chem. 275:17440-17446(2000).

Halleck A.,et al.Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.

Poggi A.,et al.Eur. J. Immunol. 28:2086-2091(1998).