

ZBTB40 Antibody (N-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS15631**Specification**

ZBTB40 Antibody (N-Terminus) - Product Information

Application	IHC, IF, WB
Primary Accession	O9NUA8
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	138kDa KDa

ZBTB40 Antibody (N-Terminus) - Additional Information**Gene ID** 9923**Other Names**

Zinc finger and BTB domain-containing protein 40, ZBTB40, KIAA0478

Target/Specificity

Human ZBTB40. ZBTB40 antibody is human specific. At least two isoforms of ZBTB40 are known to exist. This antibody is predicted to not cross-react with other ZBTB protein family members.

Reconstitution & Storage

Store at -20°C. Aliquot to avoid freeze/thaw cycles.

Precautions

ZBTB40 Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

ZBTB40 Antibody (N-Terminus) - Protein Information**Name** ZBTB40**Synonyms** KIAA0478**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZBTB40 Antibody (N-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ZBTB40 Antibody (N-Terminus) - Images



Anti-ZBTB40 antibody IHC staining of human kidney.



Immunofluorescence of ZBTB40 in Raji cells with ZBTB40 antibody at 20 ug/ml.



May be involved in transcriptional regulation.

ZBTB40 Antibody (N-Terminus) - References

- Seki N.,et al.DNA Res. 4:345-349(1997).
Nakajima D.,et al.DNA Res. 9:99-106(2002).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Gregory S.G.,et al.Nature 441:315-321(2006).
Matsuoka S.,et al.Science 316:1160-1166(2007).