

ZGPAT Antibody (C-Terminus) Chicken Polyclonal Antibody Catalog # ALS15885

Specification

ZGPAT Antibody (C-Terminus) - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW Dilution WB, IHC-P, IF, E <u>O8N5A5</u> Human Chicken Polyclonal 57kDa KDa WB~~1:1000 IHC-P~~N/A IF~~1:50~200 E~~N/A

ZGPAT Antibody (C-Terminus) - Additional Information

Gene ID 84619

Other Names

Zinc finger CCCH-type with G patch domain-containing protein, G patch domain-containing protein 6, Zinc finger CCCH domain-containing protein 9, Zinc finger and G patch domain-containing protein, ZGPAT, GPATC6, GPATCH6, KIAA1847, ZC3H9, ZC3HDC9, ZIP

Target/Specificity Human ZGPAT. Multiple isoforms of ZGPAT are known to exist.

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

ZGPAT Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

ZGPAT Antibody (C-Terminus) - Protein Information

Name ZGPAT

Synonyms GPATC6, GPATCH6, KIAA1847, ZC3H9, ZC3HDC

Function

Transcription repressor that specifically binds the 5'- GGAG[GA]A[GA]A-3' consensus sequence. Represses transcription by recruiting the chromatin multiprotein complex NuRD to target promoters. Negatively regulates expression of EGFR, a gene involved in cell proliferation, survival and migration. Its ability to repress genes of the EGFR pathway suggest it may act as a tumor suppressor. Able to suppress breast carcinogenesis.



Cellular Location Nucleus.

Tissue Location Widely expressed..

ZGPAT Antibody (C-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- <u>Flow Cytomety</u>
- <u>Cell Culture</u>

ZGPAT Antibody (C-Terminus) - Images



Anti-ZGPAT antibody IHC staining of human kidney.



Immunofluorescence of ZGPAT in human brain cells with ZGPAT antibody at 20 µg/mL.





Western blot analysis of ZGPAT in SK-N-SH cell lysate with ZGPAT antibody at 1 ug/ml in (A) the... **ZGPAT Antibody (C-Terminus) - Background**

Transcription repressor that specifically binds the 5'- GGAG[GA]A[GA]A-3' consensus sequence. Represses transcription by recruiting the chromatin multiprotein complex NuRD to target promoters. Negatively regulates expression of EGFR, a gene involved in cell proliferation, survival and migration. Its ability to repress genes of the EGFR pathway suggest it may act as a tumor suppressor. Able to suppress breast carcinogenesis.

ZGPAT Antibody (C-Terminus) - References

Nagase T.,et al.DNA Res. 8:85-95(2001). Ohara O.,et al.Submitted (JUN-2009) to the EMBL/GenBank/DDBJ databases. Ota T.,et al.Nat. Genet. 36:40-45(2004). Deloukas P.,et al.Nature 414:865-871(2001). Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.