

TFPI / LACI Antibody (N-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS16030**Specification**

TFPI / LACI Antibody (N-Terminus) - Product Information

Application	WB, IF
Primary Accession	P10646
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

TFPI / LACI Antibody (N-Terminus) - Additional Information**Gene ID** 7035**Other Names**

Tissue factor pathway inhibitor, TFPI, Extrinsic pathway inhibitor, EPI, Lipoprotein-associated coagulation inhibitor, LACI, TFPI, LACI, TFPI1

Target/Specificity

TFPI antibody is human, mouse and rat reactive. At least two isoforms of TFPI are known to exist; this antibody will detect both isoforms.

Reconstitution & Storage

Long term: -20°C; Short term: +4°C. Avoid repeat freeze-thaw cycles.

Precautions

TFPI / LACI Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

TFPI / LACI Antibody (N-Terminus) - Protein Information**Name** TFPI**Synonyms** LACI, TFPI1**Function**

Inhibits factor X (X(a)) directly and, in a Xa-dependent way, inhibits VIIa/tissue factor activity, presumably by forming a quaternary Xa/LACI/VIIa/TF complex. It possesses an antithrombotic action and also the ability to associate with lipoproteins in plasma.

Cellular Location

[Isoform Alpha]: Secreted.

Tissue Location


Mostly in endothelial cells.

TFPI / LACI Antibody (N-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TFPI / LACI Antibody (N-Terminus) - Images



Western blot analysis of TFPI in rat small intestine tissue lysate with TFPI antibody at 1 ug/ml.



Immunofluorescence of TFPI in rat small intestine tissue with TFPI antibody at 20 ug/ml.

TFPI / LACI Antibody (N-Terminus) - Background

Inhibits factor X (X(a)) directly and, in a Xa-dependent way, inhibits VIIa/tissue factor activity, presumably by forming a quaternary Xa/LACI/VIIa/TF complex. It possesses an antithrombotic action

and also the ability to associate with lipoproteins in plasma.

TFPI / LACI Antibody (N-Terminus) - References

Wun T.-C., et al. J. Biol. Chem. 263:6001-6004(1988).
Girard T.J., et al. Thromb. Res. 55:37-50(1989).
van der Logt C.P.E., et al. Biochemistry 30:1571-1577(1991).
Girard T.J., et al. J. Biol. Chem. 266:5036-5041(1991).
Chang J.-Y., et al. Submitted (AUG-1997) to the EMBL/GenBank/DDBJ databases.