

ELMO3 Antibody (C-Terminus)
Goat Polyclonal Antibody
Catalog # ALS16070**Specification**

ELMO3 Antibody (C-Terminus) - Product Information

Application	IHC
Primary Accession	O96BJ8
Reactivity	Human, Monkey, Pig, Horse
Host	Goat
Clonality	Polyclonal
Calculated MW	81kDa KDa

ELMO3 Antibody (C-Terminus) - Additional Information**Gene ID** 79767**Other Names**

Engulfment and cell motility protein 3, ELMO3

Target/Specificity

Human ELMO3.

Reconstitution & Storage

Store at -20°C. Minimize freezing and thawing.

Precautions

ELMO3 Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

ELMO3 Antibody (C-Terminus) - Protein Information**Name** ELMO3**Function**

Involved in cytoskeletal rearrangements required for phagocytosis of apoptotic cells and cell motility. Acts in association with DOCK1 and CRK. Was initially proposed to be required in complex with DOCK1 to activate Rac Rho small GTPases. May enhance the guanine nucleotide exchange factor (GEF) activity of DOCK1 (By similarity).

Cellular Location


Cytoplasm.

ELMO3 Antibody (C-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ELMO3 Antibody (C-Terminus) - Images



Anti-ELMO3 antibody IHC staining of human prostate.

ELMO3 Antibody (C-Terminus) - Background

Involved in cytoskeletal rearrangements required for phagocytosis of apoptotic cells and cell motility. Acts in association with DOCK1 and CRK. Was initially proposed to be required in complex with DOCK1 to activate Rac Rho small GTPases. May enhance the guanine nucleotide exchange factor (GEF) activity of DOCK1 (By similarity).

ELMO3 Antibody (C-Terminus) - References

Ota T., et al. Nat. Genet. 36:40-45(2004).
Martin J., et al. Nature 432:988-994(2004).