

SH2D3A / NSP1 Antibody (C-Terminus)
Goat Polyclonal Antibody
Catalog # ALS16082**Specification**

SH2D3A / NSP1 Antibody (C-Terminus) - Product Information

Application	WB
Primary Accession	Q9BRG2
Reactivity	Human
Host	Goat
Clonality	Polyclonal
Calculated MW	63kDa KDa

SH2D3A / NSP1 Antibody (C-Terminus) - Additional Information**Gene ID** 10045**Other Names**

SH2 domain-containing protein 3A, Novel SH2-containing protein 1, SH2D3A, NSP1

Target/Specificity

Human SH2D3A.

Reconstitution & Storage

Store at -20°C. Minimize freezing and thawing.

Precautions

SH2D3A / NSP1 Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

SH2D3A / NSP1 Antibody (C-Terminus) - Protein Information**Name** SH2D3A**Synonyms** NSP1**Function**

May play a role in JNK activation.

Tissue Location

Weakly expressed in placenta, fetal kidney, fetal lung, adult pancreas, adult kidney and adult lung

SH2D3A / NSP1 Antibody (C-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SH2D3A / NSP1 Antibody (C-Terminus) - Images



SH2D3A antibody (0.1 ug/ml) staining of Human Tonsil lysate (35 ug protein/ml in RIPA buffer).

SH2D3A / NSP1 Antibody (C-Terminus) - Background

May play a role in JNK activation.

SH2D3A / NSP1 Antibody (C-Terminus) - References

Lu Y.,et al.J. Biol. Chem. 274:10047-10052(1999).
Clark H.F.,et al.Genome Res. 13:2265-2270(2003).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Grimwood J.,et al.Nature 428:529-535(2004).
Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.