

LRRTM3 Antibody (C-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS16592**Specification**

LRRTM3 Antibody (C-Terminus) - Product Information

Application	IHC, IF, WB
Primary Accession	Q86VH5
Other Accession	347731
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	65896

LRRTM3 Antibody (C-Terminus) - Additional Information**Gene ID** 347731**Other Names**
LRRTM3**Target/Specificity**

Human LRRTM3. At least two isoforms of LRRTM3 are known to exist; this antibody will only detect the larger isoform.

Reconstitution & Storage

PBS, 0.02% sodium azide. Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

LRRTM3 Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

LRRTM3 Antibody (C-Terminus) - Protein Information**Name** LRRTM3**Function**

Exhibits a limited synaptogenic activity in vitro, restricted to excitatory presynaptic differentiation (By similarity). May play a role in the development and maintenance of the vertebrate nervous system.

Cellular Location

Cell membrane; Single-pass type I membrane protein. Postsynaptic cell membrane; Single-pass type I membrane protein

Tissue Location


Expressed in neuronal tissues.

LRRTM3 Antibody (C-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


LRRTM3 Antibody (C-Terminus) - Images



Anti-LRRTM3 antibody IHC staining of human small intestine.



Immunofluorescence of LRRTM3 in human brain tissue with LRRTM3 antibody at 20 μ g/mL.



Western blot analysis of LRRTM3 in mouse brain tissue lysate with LRRTM3 antibody at 0.5 ug/ml...

LRRTM3 Antibody (C-Terminus) - Background

Exhibits a limited synaptogenic activity in vitro, restricted to excitatory presynaptic differentiation (By similarity). May play a role in the development and maintenance of the vertebrate nervous system.

LRRTM3 Antibody (C-Terminus) - References

Lauren J.,et al.Genomics 81:411-421(2003).
Clark H.F.,et al.Genome Res. 13:2265-2270(2003).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Bechtel S.,et al.BMC Genomics 8:399-399(2007).