

**CENPU / MLF1IP Antibody**  
**Rabbit Polyclonal Antibody**  
**Catalog # ALS16703****Specification**

---

**CENPU / MLF1IP Antibody - Product Information**

Application	IHC, ICC
Primary Accession	<a href="#">Q71F23</a>
Other Accession	<a href="#">79682</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	47522

**CENPU / MLF1IP Antibody - Additional Information****Gene ID** 79682**Other Names**

CENPU, CENP-U, CENP50, CENPU50, Centromere protein U, ICEN24, KLIP1, Polo-box-interacting protein 1, MLF1-interacting protein, CENP-50, Centromere protein of 50 kDa, MLF1 interacting protein, MLF1IP, PBIP1

**Target/Specificity**

Human MLF1IP / CENP-U

**Reconstitution & Storage**

PBS, pH 7.2, 50% glycerol. Store at -20°C.

**Precautions**

CENPU / MLF1IP Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

**CENPU / MLF1IP Antibody - Protein Information****Name** CENPU**Synonyms** ICEN24, KLIP1, MLF1IP, PBIP1**Function**

Component of the CENPA-NAC (nucleosome-associated) complex, a complex that plays a central role in assembly of kinetochore proteins, mitotic progression and chromosome segregation. The CENPA-NAC complex recruits the CENPA-CAD (nucleosome distal) complex and may be involved in incorporation of newly synthesized CENPA into centromeres. Plays an important role in the correct PLK1 localization to the mitotic kinetochores. A scaffold protein responsible for the initial recruitment and maintenance of the kinetochore PLK1 population until its degradation. Involved in transcriptional repression.

**Cellular Location**

Cytoplasm. Nucleus. Chromosome, centromere, kinetochore. Note=Localizes in the kinetochore domain of centromeres Colocalizes with PLK1 at the interzone between the inner and the outer kinetochore plates

**Tissue Location**

Expressed at high levels in the testis, fetal liver, thymus, bone marrow and at lower levels in the lymph nodes, placenta, colon and spleen. Present in all cell lines examined, including B-cells, T-cells, epithelial cells and fibroblast cells Expressed at high levels in glioblastoma cell lines


**Volume**

500 µl


**CENPU / MLF1IP Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**CENPU / MLF1IP Antibody - Images**

Human Testis: Formalin-Fixed, Paraffin-Embedded (FFPE)



Immunocytochemistry: Anti-CENP-50

**CENPU / MLF1IP Antibody - Background**

Component of the CENPA-NAC (nucleosome-associated) complex, a complex that plays a central role in assembly of kinetochore proteins, mitotic progression and chromosome segregation. The CENPA-NAC complex recruits the CENPA-CAD (nucleosome distal) complex and may be involved in incorporation of newly synthesized CENPA into centromeres. Plays an important role in the correct PLK1 localization to the mitotic kinetochores. A scaffold protein responsible for the initial recruitment and maintenance of the kinetochore PLK1 population until its degradation. Involved in transcriptional repression.

#### **CENPU / MLF1IP Antibody - References**

Pan H.-Y., et al. J. Virol. 77:9758-9768(2003).  
Hanissian S.H., et al. Oncogene 23:3700-3707(2004).  
Ota T., et al. Nat. Genet. 36:40-45(2004).  
Ebert L., et al. Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.  
Hanissian S.H., et al. Submitted (AUG-2006) to the EMBL/GenBank/DDBJ databases.