

HOMER1 / Homer 1 Antibody (aa72-339)
Rabbit Polyclonal Antibody
Catalog # ALS16881**Specification**

HOMER1 / Homer 1 Antibody (aa72-339) - Product Information

Application	WB, IHC-P, ICC
Primary Accession	Q86YM7
Other Accession	9456
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	40277
Dilution	WB~~1:1000 IHC-P~~N/A ICC~~N/A

HOMER1 / Homer 1 Antibody (aa72-339) - Additional Information**Gene ID** 9456**Other Names**

HOMER1, HOMER, Homer homolog 1 (Drosophila), Homer protein homolog 1, HOMER1B, SYN47, Ves-1, Homer-1, HOMER-1B, HOMER1A, HOMER1C

Target/Specificity

Human HOMER

Reconstitution & Storage

0.1 M Tris-glycine, pH 7.0, 10% glycerol, 0.01% Thimerosal. Keep as concentrated solution. Aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.

Precautions

HOMER1 / Homer 1 Antibody (aa72-339) is for research use only and not for use in diagnostic or therapeutic procedures.

HOMER1 / Homer 1 Antibody (aa72-339) - Protein Information**Name** HOMER1 ([HGNC:17512](#))**Function**

Postsynaptic density scaffolding protein. Binds and cross- links cytoplasmic regions of GRM1, GRM5, ITPR1, DNM3, RYR1, RYR2, SHANK1 and SHANK3. By physically linking GRM1 and GRM5 with ER- associated ITPR1 receptors, it aids the coupling of surface receptors to intracellular calcium release. May also couple GRM1 to PI3 kinase through its interaction with AGAP2. Isoform 1 regulates the trafficking and surface expression of GRM5. Isoform 3 acts as a natural dominant negative, in dynamic competition with constitutively expressed isoform 1 to regulate synaptic metabotropic glutamate function. Isoform 3, may be involved in the structural changes that occur

at synapses during long-lasting neuronal plasticity and development. Forms a high-order complex with SHANK1, which in turn is necessary for the structural and functional integrity of dendritic spines (By similarity). Negatively regulates T cell activation by inhibiting the calcineurin-NFAT pathway. Acts by competing with calcineurin/PPP3CA for NFAT protein binding, hence preventing NFAT activation by PPP3CA (PubMed:18218901).

Cellular Location

Cytoplasm. Postsynaptic density. Synapse. Cell projection, dendritic spine {ECO:0000250|UniProtKB:Q9Z214}. Note=Isoform 1 inhibits surface expression of GRM5 causing it to be retained in the endoplasmic reticulum.

Volume


50 µl

HOMER1 / Homer 1 Antibody (aa72-339) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


HOMER1 / Homer 1 Antibody (aa72-339) - Images




Anti-HOMER1 / Homer 1 antibody IHC staining of human brain, cortex.




Immunofluorescence of methanol-fixed HeLa using Homer antibody at 1:500 dilution.



Homer antibody detects HOMER1 protein by Western blot analysis.



Homer antibody detects HOMER1 protein by Western blot analysis.



Sample (20 ug of whole cell lysate).

HOMER1 / Homer 1 Antibody (aa72-339) - Background

Postsynaptic density scaffolding protein. Binds and cross-links cytoplasmic regions of GRM1, GRM5, ITPR1, DNM3, RYR1, RYR2, SHANK1 and SHANK3. By physically linking GRM1 and GRM5 with ER-associated ITPR1 receptors, it aids the coupling of surface receptors to intracellular calcium release. May also couple GRM1 to PI3 kinase through its interaction with AGAP2. Isoform 1 regulates the trafficking and surface expression of GRM5. Isoform 3 acts as a natural dominant negative, in dynamic competition with constitutively expressed isoform 1 to regulate synaptic metabotropic glutamate function. Isoform 3, may be involved in the structural changes that occur at synapses during long-lasting neuronal plasticity and development.

HOMER1 / Homer 1 Antibody (aa72-339) - References

Xiao B.,et al.Neuron 21:707-716(1998).
Nickels A.,et al.Submitted (JUL-1998) to the EMBL/GenBank/DDBJ databases.
Klugmann M.,et al.Submitted (DEC-2002) to the EMBL/GenBank/DDBJ databases.
Kalnine N.,et al.Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
Ota T.,et al.Nat. Genet. 36:40-45(2004).