

TNFRSF19L / RELT Antibody (aa361-410)
Rabbit Polyclonal Antibody
Catalog # ALS17003**Specification**

TNFRSF19L / RELT Antibody (aa361-410) - Product Information

Application	IHC, WB
Primary Accession	O969Z4
Other Accession	84957
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Calculated MW	46092

TNFRSF19L / RELT Antibody (aa361-410) - Additional Information**Gene ID** 84957**Other Names**

RELT, TRLT, TNFRSF19L

Target/Specificity

RELT Antibody antibody detects endogenous levels of RELT.

Reconstitution & Storage

PBS, pH 7.4, 150 mM sodium chloride, 0.02% sodium azide, 50% glycerol. Store at -20°C.

Precautions

TNFRSF19L / RELT Antibody (aa361-410) is for research use only and not for use in diagnostic or therapeutic procedures.

TNFRSF19L / RELT Antibody (aa361-410) - Protein Information**Name** RELT**Synonyms** TNFRSF19L**Function**

May play a role in apoptosis (PubMed: [28688764](http://www.uniprot.org/citations/28688764), PubMed: [19969290](http://www.uniprot.org/citations/19969290)). Induces activation of MAPK14/p38 and MAPK8/JNK MAPK cascades, when overexpressed (PubMed: [16530727](http://www.uniprot.org/citations/16530727)). Involved in dental enamel formation (PubMed: [30506946](http://www.uniprot.org/citations/30506946)).

Cellular Location

Cell membrane; Single-pass type I membrane protein Cytoplasm. Cytoplasm, perinuclear region

Tissue Location

Spleen, lymph node, brain, breast and peripheral blood leukocytes (at protein level) (PubMed:28688764). Expressed highly in bone marrow and fetal liver. Very low levels in skeletal muscle, testis and colon. Not detected in kidney and pancreas


Volume

50 μ l


TNFRSF19L / RELT Antibody (aa361-410) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TNFRSF19L / RELT Antibody (aa361-410) - Images

Anti-TNFRSF19L / RELT antibody IHC staining of human tonsil.



Western blot of the lysates from Jurkat cells using RELT antibody.

TNFRSF19L / RELT Antibody (aa361-410) - Background

Mediates activation of NF-kappa-B. May play a role in T- cell activation.

TNFRSF19L / RELT Antibody (aa361-410) - References

Sica G.L.,et al.Blood 97:2702-2707(2001).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Jikuya H.,et al.Submitted (JAN-2002) to the EMBL/GenBank/DDBJ databases.
Zhang Z.,et al.Protein Sci. 13:2819-2824(2004).
Cusick J.K.,et al.Biochem. Biophys. Res. Commun. 340:535-543(2006).