

Anti-CD46 Antibody (clone MEM-258)

Mouse Anti Human Monoclonal Antibody Catalog # ALS17672

Specification

Anti-CD46 Antibody (clone MEM-258) - Product Information

Application WB, IHC-P, IP, FC

Primary Accession
Predicted
Human
Host
Clonality
Monoclonal

Isotype IgG1
Calculated MW 43747

Anti-CD46 Antibody (clone MEM-258) - Additional Information

Gene ID 4179

Alias Symbol CD46

Other Names

CD46, AHUS2, CD46 antigen, MCP, Measles virus receptor, TLX, MIC10, TRA2.10, Membrane cofactor protein

Target/Specificity

Recognizes the human CD46 cell surface antigen, a broadly expressed glycoprotein also known as membrane co-factor protein (MCP). CD46 functions as an inhibitor of complement activation limiting the formation and activity of C3 convertases. CD46 is ex ...

Reconstitution & Storage

Protein A purified

Precautions

Anti-CD46 Antibody (clone MEM-258) is for research use only and not for use in diagnostic or therapeutic procedures.

Anti-CD46 Antibody (clone MEM-258) - Protein Information

Name CD46

Synonyms MCP, MIC10

Function

Acts as a cofactor for complement factor I, a serine protease which protects autologous cells against complement-mediated injury by cleaving C3b and C4b deposited on host tissue. May be involved in the fusion of the spermatozoa with the oocyte during fertilization. Also acts as a costimulatory factor for T-cells which induces the differentiation of CD4+ into T-regulatory 1 cells. T-regulatory 1 cells suppress immune responses by secreting interleukin-10, and therefore are thought to prevent autoimmunity.



Cellular Location

Cytoplasmic vesicle, secretory vesicle, acrosome inner membrane; Single-pass type I membrane protein. Note=Inner acrosomal membrane of spermatozoa. Internalized upon binding of Measles virus, Herpesvirus 6 or Neisseria gonorrhoeae, which results in an increased susceptibility of infected cells to complement-mediated injury. In cancer cells or cells infected by Neisseria, shedding leads to a soluble peptide

Tissue Location

Expressed by all cells except erythrocytes.

Anti-CD46 Antibody (clone MEM-258) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-CD46 Antibody (clone MEM-258) - Images