
Anti-ACE2 / ACE-2 Antibody (aa18-237, clone 1G4)
Mouse Anti Human Monoclonal Antibody
Catalog # ALS18130**Specification**

Anti-ACE2 / ACE-2 Antibody (aa18-237, clone 1G4) - Product Information

Application	WB, IHC-P
Primary Accession	Q9BYF1
Predicted	Human
Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	92463

Anti-ACE2 / ACE-2 Antibody (aa18-237, clone 1G4) - Additional Information

Gene ID 59272

Alias Symbol **ACE2****Other Names**ACE2, ACE-related carboxypeptidase, ACEH,
Metalloprotease MPROT15**Target/Specificity**

Human ACE2 / ACE-2

Reconstitution & Storage

Immunoaffinity purified

Precautions

Anti-ACE2 / ACE-2 Antibody (aa18-237, clone 1G4) is for research use only and not for use in diagnostic or therapeutic procedures.

Anti-ACE2 / ACE-2 Antibody (aa18-237, clone 1G4) - Protein InformationName ACE2 ([HGNC:13557](#))**Function**

Essential counter-regulatory carboxypeptidase of the renin-angiotensin hormone system that is a critical regulator of blood volume, systemic vascular resistance, and thus cardiovascular homeostasis (PubMed:27217402). Converts angiotensin I to angiotensin 1-9, a nine-amino acid peptide with anti-hypertrophic effects in cardiomyocytes, and angiotensin II to angiotensin 1-7, which then acts as a beneficial vasodilator and anti-proliferation agent, counterbalancing the actions of the vasoconstrictor angiotensin II

(PubMed:10969042, PubMed:10924499, PubMed:11815627, PubMed:19021774, PubMed:14504186). Also removes the C-terminal residue from three other vasoactive peptides, neurotensin, kinetensin, and des-Arg bradykinin, but is not active on bradykinin (PubMed:10969042, PubMed:11815627). Also cleaves other biological peptides, such as apelin-13, [Pyr1]apelin-13, apelin-17, apelin-36, casomorphins (beta-casomorphin-7, neocasomorphin) and dynorphin A with high efficiency (PubMed:11815627, PubMed:27217402, PubMed:28293165). In addition, ACE2 C-terminus is homologous to collectrin and is responsible for the trafficking of the neutral amino acid transporter SL6A19 to the plasma membrane of gut epithelial cells via direct interaction, regulating its expression on the cell surface and its catalytic activity (PubMed:18424768, PubMed:19185582).

Cellular Location

[Processed angiotensin-converting enzyme 2]: Secreted

Tissue Location

Expressed in endothelial cells from small and large arteries, and in arterial smooth muscle cells (at protein level) (PubMed:15141377). Expressed in lung alveolar epithelial cells, enterocytes of the small intestine, Leydig cells and Sertoli cells (at protein level) (PubMed:15141377). Expressed in the renal proximal tubule and the small intestine (at protein level) (PubMed:18424768) Expressed in heart, kidney, testis, and gastrointestinal system (PubMed:10969042, PubMed:10924499, PubMed:15231706, PubMed:12459472, PubMed:15671045).

Anti-ACE2 / ACE-2 Antibody (aa18-237, clone 1G4) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)