

Anti-NAMPT / Visfatin Antibody (clone OMNI379)

Mouse Anti Human Monoclonal Antibody Catalog # ALS18154

Specification

Anti-NAMPT / Visfatin Antibody (clone OMNI379) - Product Information

Application WB, IHC-P, ICC, E, IP, FC

Primary Accession P43490

Predicted Human, Mouse, Rat

Host Mouse
Clonality Monoclonal
Isotype IgG2a,k
Calculated MW 55521

Anti-NAMPT / Visfatin Antibody (clone OMNI379) - Additional Information

Gene ID 10135

Alias Symbol NAMPT

Other Names

NAMPT, PBEF, Pre-B cell-enhancing factor, VISFATIN, VF, NAMPRTase, PBEF1

Target/Specificity

Recognizes human, mouse and rat Nampt.

Reconstitution & Storage

Protein G purified

Precautions

Anti-NAMPT / Visfatin Antibody (clone OMNI379) is for research use only and not for use in diagnostic or therapeutic procedures.

Anti-NAMPT / Visfatin Antibody (clone OMNI379) - Protein Information

Name NAMPT

Synonyms PBEF, PBEF1

Function

Catalyzes the condensation of nicotinamide with 5- phosphoribosyl-1-pyrophosphate to yield nicotinamide mononucleotide, an intermediate in the biosynthesis of NAD. It is the rate limiting component in the mammalian NAD biosynthesis pathway. The secreted form behaves both as a cytokine with immunomodulating properties and an adipokine with anti-diabetic properties, it has no enzymatic activity, partly because of lack of activation by ATP, which has a low level in extracellular space and plasma. Plays a role in the modulation of circadian clock function. NAMPT-dependent oscillatory production of NAD regulates oscillation of clock target gene expression by releasing the core clock component: CLOCK-BMAL1 heterodimer from NAD-dependent SIRT1- mediated suppression (By similarity).



Cellular Location

Nucleus. Cytoplasm {ECO:0000250|UniProtKB:Q99KQ4}. Secreted Note=Under non-inflammatory conditions, visfatin predominantly exhibits a granular pattern within the nucleus. Secreted by endothelial cells upon IL-1beta stimulation. Abundantly secreted in milk, reaching 100- fold higher concentrations compared to maternal serum

Tissue Location

Expressed in large amounts in bone marrow, liver tissue, and muscle. Also present in heart, placenta, lung, and kidney tissues

Anti-NAMPT / Visfatin Antibody (clone OMNI379) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-NAMPT / Visfatin Antibody (clone OMNI379) - Images