

GABAA Receptor, α 3-Subunit Antibody
Affinity purified rabbit polyclonal antibody
Catalog # AN1136**Specification**

GABAA Receptor, α 3-Subunit Antibody - Product Information

| | |
|-------------------|----------------------------------|
| Application | IHC, WB |
| Primary Accession | P20236 |
| Reactivity | Mouse, Rat |
| Predicted | Bovine, Human, Monkey, Zebrafish |
| Host | Rabbit |
| Clonality | polyclonal |
| Calculated MW | 51 KDa |

GABAA Receptor, α 3-Subunit Antibody - Additional Information

| | |
|---|--------|
| Gene ID | 24947 |
| Gene Name | GABRA3 |
| Other Names | |
| Gamma-aminobutyric acid receptor subunit alpha-3, GABA(A) receptor subunit alpha-3, Gabra3, Gabra-3 | |

Target/Specificity

Fusion protein from the N-terminal region of the alpha 3 subunit.

Dilution

IHC~~ 1:100

WB~~ 1:1000

Format

Prepared from rabbit serum by affinity purification using a column to which the fusion protein immunogen was coupled.

Antibody Specificity

Specific for the ~51k α 3-subunit of the GABAA receptor in Western blots. Labeling is absent in α 3-subunit knockout animals.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

GABAA Receptor, α 3-Subunit Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Shipping


Blue Ice

GABAA Receptor, $\alpha 3$ -Subunit Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GABAA Receptor, $\alpha 3$ -Subunit Antibody - Images



Western blot of mouse brain lysates from wild type (Control) and $\alpha 3$ -knockout ($\alpha 3$ K/O) animals showing specific immunolabeling of the ~51k $\alpha 3$ -subunit of the GABAA-R. The labeling was absent from a lysate prepared from $\alpha 3$ -knockout animals.



Immunostaining of rat amygdala showing labeling of GABAA $\alpha 3$ subunit.

GABAA Receptor, $\alpha 3$ -Subunit Antibody - Background

Gamma-aminobutyric acid (GABA) is the primary inhibitory neurotransmitter in the central nervous system, causing a hyperpolarization of the membrane through the opening of a Cl^- channel associated with the GABAA receptor (GABAA-R) subtype. GABAA-Rs are important therapeutic

targets for a range of sedative, anxiolytic, and hypnotic agents and are implicated in several diseases including epilepsy, anxiety, depression, and substance abuse. The GABAA-R is a multimeric subunit complex. To date six α s, four β s and four γ s, plus alternative splicing variants of some of these subunits, have been identified (Olsen and Tobin, 1990; Whiting et al., 1999; Ogris et al., 2004). Injection in oocytes or mammalian cell lines of cRNA coding for α - and β -subunits results in the expression of functional GABAA-Rs sensitive to GABA. However, coexpression of a γ -subunit is required for benzodiazepine modulation. The various effects of the benzodiazepines in brain may also be mediated via different α -subunits of the receptor (McKernan et al., 2000; Mehta and Ticku, 1998; Ogris et al., 2004; Pörtl et al., 2003).

GABAA Receptor, α 3-Subunit Antibody - References

- McKernan RM, et al. (2000) Sedative but not anxiolytic properties of benzodiazepines are mediated by the GABAA receptor α 1-subtype. *Nature Neurosci* 3:587-592.
- Mehta AK, Ticku MK (1998) Prevalence of the GABAA receptor assemblies containing α 1-subunit in the rat cerebellum and cerebral cortex as determined by immunoprecipitation: Lack of modulation by chronic ethanol administration. *Mol Brain Res* 67:194-199.
- Ogris W, Pörtl A, Hauer B, Ernst M, Oberto A, Wulff P, Höger H, Wisden W, Sieghart W (2004) Affinity of various benzodiazepine site ligands in mice with a point mutation in the GABAA receptor γ 2-subunit. *Biochem Pharmacol* 68:1621-1629.
- Olsen RW, Tobin AJ (1990) Molecular biology of GABAA receptors. *FASEB* 4:1469-1480.
- Pörtl A, Hauer B, Fuchs K, Tretter V, Sieghart W (2003) Subunit composition and quantitative importance of GABAAreceptor subtypes in the cerebellum of mouse and rat. *J Neurochem* 87:1444-1455.
- Whiting PJ, Bonnert TP, McKernan RM, Farrar S, Le Bourdellès B, Heavens RP, Smith DW, Hewson L, Rigby MR, Sirinathsinghji DJS, Thompson SA, Wafford KA (1999) Molecular and functional diversity of the expanding GABAA receptor gene family. *Ann NY Acad Sci* 868:645-653.