

**Phospho-Ser137 DARPP-32 Antibody**  
**Affinity purified rabbit polyclonal antibody**  
**Catalog # AN1207**

**Specification**

---

**Phospho-Ser137 DARPP-32 Antibody - Product Information**

Application	WB
Primary Accession	<a href="#">Q6J4I0</a>
Reactivity	Rat
Predicted	Bovine, Human, Mouse, Monkey
Host	Rabbit
Clonality	polyclonal
Calculated MW	32 KDa

**Phospho-Ser137 DARPP-32 Antibody - Additional Information**

Gene ID	360616
Gene Name	PPP1R1B
<b>Other Names</b>	
Protein phosphatase 1 regulatory subunit 1B, DARPP-32, Dopamine- and cAMP-regulated neuronal phosphoprotein, Ppp1r1b	

**Target/Specificity**

Synthetic phospho-peptide corresponding to amino acid residues surrounding Ser137 conjugated to KLH.

**Dilution**

WB~~ 1:1000

**Format**

Prepared from rabbit serum by affinity purification via sequential chromatography on phospho- and dephosphopeptide affinity columns.

**Antibody Specificity**

Specific for the ~32k DARPP-32 protein phosphorylated at Ser137. Immunolabeling is blocked by preadsorption with the phospho-peptide used as antigen but not by the dephospho-peptide.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

Phospho-Ser137 DARPP-32 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

**Shipping**


Blue Ice

## Phospho-Ser137 DARPP-32 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## Phospho-Ser137 DARPP-32 Antibody - Images



Western blot of rat caudate lysate showing specific immunolabeling of the ~32kDARPP-32 phosphorylated at Ser137 (Control). Phosphospecificity is shown in thesecond lane where immunolabeling is blocked by preadsorption of the phospho-peptideused as antigen (peptide) but not by the corresponding dephosphopeptide (not shown).

## Phospho-Ser137 DARPP-32 Antibody - Background

DARPP-32 is a dopamine (DA) and cAMP-regulated ~32k phosphoprotein that is associated with dopaminoceptive neurons (Fienberg et al., 1998). The protein inhibits protein phosphatase I when it is phosphorylated on Thr34. In contrast, when DARPP-32 is phosphorylated on Thr75 the protein acts as an inhibitor of PKA (Bibb et al., 1999). Phosphorylation of DARPP-32 is thought to play a critical role in the regulation of dopaminergic neurotransmission. In addition, the activity of DARPP-32 is also thought to play important roles in the actions of alcohol, caffeine and Prozac® (Mal dve et al., 2002; Lindskog et al., 2002; Svenningsson et al., 2002). Serine 137 is phosphorylated by casein kinase 1 and phosphorylation of this site is increased following acute administration of Prozac® (Svenningsson et al., 2002).

## Phospho-Ser137 DARPP-32 Antibody - References

Bibb JA, Snyder GL, Nishi A, Yan Z, Meijer L, Fienberg AA, Tsai LH, Kwon YT, Girault JA, Czernik AJ, Huganir RL, Hemmings HC, Jr., Nairn AC, Greengard P (1999) Phosphorylation of DARPP-32 by cdk5 modulates dopamine signalling in neurons. *Nature (London)* 402:669-671.

Fienberg, A.A., Hiroi, N., Mermelstein, P.G., Song, W., Snyder, G.L., Nishi, A., Cheramy, A. O'Callaghan, J.P., Miller, D.B., Cole, D.G., Corbett, R., Haile, C.N., Cooper, D.C., Onn, S.P., Grace, A.A., Ouimet, C.C., White, F.G., Hyman, S.E., Surmeier, D.G., Girault, J., Nestler, E.J. and Greengard, P. (1998) DARPP-32: regulator of the efficacy of dopaminergic neurotransmission. *Science*

281:838-842.

Lindskog M, Svenningsson P, Pozzi L, Kim Y, Fienberg AA, Bibb JA, Fredholm BB, Nairn AC, Greengard P, Fisone G (2002) Involvement of DARPP-32 phosphorylation in the stimulant action of caffeine. *Nature (London)* 418:774-778.

Malvae RE, Zhang TA, Ferrani-Kile K, Schreiber SS, Lippmann MJ, Snyder GL, Fienberg AA, Leslie SW, Gonzales RA, Morrisett RA (2002) DARPP-32 and the regulation of the ethanol sensitivity of NMDA receptors in the nucleus accumbens. *Nature Neurosci* 5:641-648.

Svenningsson P, Tzavara ET, Witkin JM, Fienberg AA, Nomikos GG, Greengard P (2002) Involvement of striatal and extrastriatal DARPP-32 in biochemical and behavioral effects of fluoxetine (Prozac®). *Proc Natl Acad Sci USA* 99:3182-3187.