

### **Anti-Thyroid Hormone Receptor, α1/α2-Isotype Antibody**

Our Anti-Thyroid Hormone Receptor,  $\alpha 1/\alpha 2$ -Isotype primary antibody from PhosphoSolutions is mouse mon Catalog # AN1581

_					~						
Si	D	е	C	I	tı	C	а	t	ı	O	n

## Anti-Thyroid Hormone Receptor, α1/α2-Isotype Antibody - Product Information

Primary Accession
Host
Clonality
Monoclonal
Isotype
Calculated MW
Monoclonal
S4816

# Anti-Thyroid Hormone Receptor, α1/α2-Isotype Antibody - Additional Information

Gene ID **7067** 

#### **Other Names**

c-erbA-1 antibody, C-erbA-alpha antibody, EAR-7 antibody, ERBA 1 antibody, ERBA antibody, ERBA related 7 antibody, Nuclear receptor subfamily 1 group A member 1 antibody, THA\_HUMAN antibody, THRA antibody, Thra1 antibody, Thra2 antibody, Thyroid hormone receptor alpha 1 antibody, Thyroid hormone receptor alpha 2 antibody, Thyroid hormone receptor alpha antibody, TR alpha 1 antibody, TR alpha 2 antibody, Tra1 antibody, Triiodothyronine receptor antibody, V-erbA-related protein 7 antibody

#### Target/Specificity

Thyroid hormones are essential for development of the central nervous system and deficits in these hormones during development affects such cognitive functions as learning and memory (Ambrogini et al., 2005; Chan and Kilby, 2000). Thyroid hormones exert their physiological role mainly through binding to specific nuclear receptors including the predominant isoforms of thyroid hormone receptors  $TR\alpha1$ ,  $TR\alpha2$ ,  $TR\beta1$  and  $TR\beta2$ .  $TR\alpha1$ ,  $TR\beta1$  and  $TR\beta2$  bind T3 with high affinity and also bind to thyroid hormone response elements (TREs) on chromatin to regulate the transcriptional processes in several target tissues, including adult rat brain (Constantinou et al., 2005).

### **Format**

Protein G Purified

### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

Anti-Thyroid Hormone Receptor,  $\alpha 1/\alpha 2$ -Isotype Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

## **Shipping**

Blue Ice




**Anti-Thyroid Hormone Receptor, α1/α2-Isotype Antibody - Protocols** 

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

### Anti-Thyroid Hormone Receptor, α1/α2-Isotype Antibody - Images



Western blot of rat hippocampal lysate showing specific immunolabeling of the  $\sim 50$  kDa TR- $\alpha 1$  and the  $\sim 58$  kDa TR- $\alpha 2$  protein.

# Anti-Thyroid Hormone Receptor, α1/α2-Isotype Antibody - Background

Thyroid hormones are essential for development of the central nervous system and deficits in these hormones during development affects such cognitive functions as learning and memory (Ambrogini et al., 2005; Chan and Kilby, 2000). Thyroid hormones exert their physiological role mainly through binding to specific nuclear receptors including the predominant isoforms of thyroid hormone receptors  $TR\alpha 1$ ,  $TR\alpha 2$ ,  $TR\beta 1$  and  $TR\beta 2$ .  $TR\alpha 1$ ,  $TR\beta 1$  and  $TR\beta 2$  bind TS with high affinity and also bind to thyroid hormone response elements (TREs) on chromatin to regulate the transcriptional processes in several target tissues, including adult rat brain (Constantinou et al., 2005).