

Anti-Sox2 (Lys-119), methyl-specific Antibody

Catalog # AN1964

Specification

Anti-Sox2 (Lys-119), methyl-specific Antibody - Product Information

Application WB
Primary Accession P48432

Reactivity Bovine, Chicken, Drosophila, C.Elegans

Host Rabbit

Clonality Rabbit Polyclonal

Isotype IgG
Calculated MW 34454

Anti-Sox2 (Lys-119), methyl-specific Antibody - Additional Information

Gene ID 20674

Other Names

SRY (sex determining region Y) box-2, ANOP3, MCOPS3, SOX-2

Dilution

WB~~1:1000

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Anti-Sox2 (Lys-119), methyl-specific Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Shipping

Blue Ice


Anti-Sox2 (Lys-119), methyl-specific Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Sox2 (Lys-119), methyl-specific Antibody - Images





Western blot image of human Sox2 recombinant protein untreated (lanes 1 & 3) or treated with Set7 methyltransferase to methylate Lys-119 (lanes 2 & 4). The blot was probed with mouse monoclonal Sox2 (lanes 1 & 2) and rabbit polyclonal anti-Sox2 (Lys-119) methyl-specific antibody (lanes 3 & 4).



Immunocytochemical labeling of methylated Sox2 in aldehyde fixed and NP-40 permeabilized human NCI-H446 lung carcinoma cells. The cells were labeled with rabbit polyclonal anti-Sox2 (Lys-119) methyl-specific (SP5531). The antibody was detected using goat anti-rabbit DyLight® 594.

Anti-Sox2 (Lys-119), methyl-specific Antibody - Background

Embryonic stem cells can maintain a pluripotent state that is controlled by a set of transcription factors that include Oct-4, Sox2, and Nanog. Chromatin immunoprecipitation experiments show that Sox2 and Oct-4 bind to thousands of gene regulatory sites, many of which regulate cell pluripotency and early embryonic development. siRNA knockdown of either Sox2 or Oct-4 results in loss of pluripotency, while overexpression of Oct-4 and Sox2, along with additional transcription factors Klf4 and c-Myc, can reprogram somatic cells to a pluripotent state. Sox2 also regulates adult multipotent progenitors in various epithelial tissues, and may be important for survival and regeneration of these tissues. The activity of Sox2 may be regulated by phosphorylation and methylation. Akt1 phosphorylates Thr-118 and enhances Sox2 transcriptional activity, while Set7 can monomethylate Lys-119 leading to inhibition of Sox2 transcriptional activity, as well as Sox2 ubiquination and degradation. In addition, Sox2 Thr-128 is constituitively phoshorylated in the F9 mouse stem cell line.