

### **HPS1** Antibody

Purified Mouse Monoclonal Antibody Catalog # AO1150a

### **Specification**

## **HPS1 Antibody - Product Information**

Application WB, IHC
Primary Accession Q92902
Reactivity Human
Host Mouse
Clonality Monoclonal
Isotype IgG2a

**Description** 

Hermansky-Pudlak syndrome 1. This protein may play a role in organelle biogenesis associated with melanosomes, platelet dense granules, and lysosomes. The encoded protein is a component of three different protein complexes termed biogenesis of lysosome-related organelles complex (BLOC)-3, BLOC4, and BLOC5. Mutations in this gene are associated with Hermansky-Pudlak syndrome type 1. Multiple transcript variants encoding distinct isoforms have been identified for this gene; the full-length sequences of some of these have not been determined yet.

#### **Immunogen**

Purified recombinant fragment of HPS1 expressed in E. Coli. <br/> />

### **Formulation**

Ascitic fluid containing 0.03% sodium azide.

## **HPS1** Antibody - Additional Information

**Gene ID 3257** 

### **Other Names**

Hermansky-Pudlak syndrome 1 protein, HPS1, HPS

#### **Dilution**

WB~~1/500 - 1/2000 IHC~~1:200~~1000

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

### **Precautions**

HPS1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

### **HPS1 Antibody - Protein Information**

Name HPS1



## **Synonyms HPS**

### **Function**

Component of the BLOC-3 complex, a complex that acts as a guanine exchange factor (GEF) for RAB32 and RAB38, promotes the exchange of GDP to GTP, converting them from an inactive GDP-bound form into an active GTP-bound form. The BLOC-3 complex plays an important role in the control of melanin production and melanosome biogenesis and promotes the membrane localization of RAB32 and RAB38 (PubMed:<a href="http://www.uniprot.org/citations/23084991" target="\_blank">23084991</a>).

Tissue Location Ubiquitous.

### **HPS1 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

### **HPS1 Antibody - Images**





Figure 1: Western blot analysis using HPS1 mouse mAb against truncated HPS1 recombinant protein (1) and HPS1-hlgGFc transfected CHO-K1 cell lysate (2).





Tel: 858.875.1900 Fax: 858.875.1999



Figure 2: Immunohistochemical analysis of paraffin-embedded human lymph node (left) and brain (right), showing cytoplasmic localization with DAB staining using EhpB6 mouse mAb.

# **HPS1 Antibody - References**

1. Platelets. 2007 Mar;18(2):150-7. 2. Intern Med. 2005 Jun;44(6):616-21. 3. Proc Natl Acad Sci U S A. 2003 Jul 22;100(15):8770-5. Epub 2003 Jul 7.