

Calnexin Antibody
Purified Mouse Monoclonal Antibody
Catalog # AO1158a**Specification**

Calnexin Antibody - Product Information

Application	WB, ICC, E
Primary Accession	P27824
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Isotype	IgG2b
Calculated MW	90kDa KDa

Description

This gene encodes a member of the calnexin family of molecular chaperones. The encoded protein is a calcium-binding, endoplasmic reticulum (ER)-associated protein that interacts transiently with newly synthesized N-linked glycoproteins, facilitating protein folding and assembly. It may also play a central role in the quality control of protein folding by retaining incorrectly folded protein subunits within the ER for degradation. Alternatively spliced transcript variants encoding the same protein have been described.

Immunogen

Synthetic peptide corresponding to aa (CEAAEERPWLWVVYILTVAL) of human Calnexin, conjugated to KLH.

Formulation

Ascitic fluid containing 0.03% sodium azide.

Calnexin Antibody - Additional Information

Gene ID 821

Other Names

Calnexin, IP90, Major histocompatibility complex class I antigen-binding protein p88, p90, CANX

Dilution

WB~~1/500 - 1/2000

ICC~~N/A

E~~N/A

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Calnexin Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Calnexin Antibody - Protein Information

Name CANX**Function**

Calcium-binding protein that interacts with newly synthesized monoglucosylated glycoproteins in the endoplasmic reticulum. It may act in assisting protein assembly and/or in the retention within the ER of unassembled protein subunits. It seems to play a major role in the quality control apparatus of the ER by the retention of incorrectly folded proteins. Associated with partial T-cell antigen receptor complexes that escape the ER of immature thymocytes, it may function as a signaling complex regulating thymocyte maturation. Additionally it may play a role in receptor-mediated endocytosis at the synapse.

Cellular Location

Endoplasmic reticulum membrane; Single-pass type I membrane protein. Mitochondrion membrane {ECO:0000250|UniProtKB:P24643}; Single-pass type I membrane protein. Melanosome membrane; Single-pass type I membrane protein. Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV (PubMed:12643545, PubMed:17081065). The palmitoylated form preferentially localizes to the perinuclear rough ER (PubMed:22314232) Localizes to endoplasmic reticulum mitochondria-associated membrane (MAMs) that connect the endoplasmic reticulum and the mitochondria (By similarity). {ECO:0000250|UniProtKB:P24643, ECO:0000269|PubMed:12643545, ECO:0000269|PubMed:17081065, ECO:0000269|PubMed:22314232}

Calnexin Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Calnexin Antibody - Images

Figure 1: Western blot analysis using Calnexin mouse mAb against A431 (1), Hela (2), MCF-7 (3) and A549 (4) cell lysate.




Figure 2: Confocal immunofluorescence analysis of Hela cells using Calnexin mouse mAb (green).

Calnexin Antibody - References

1. Science. 2003 Feb 28;299(5611):1394-7.
2. Exp Cell Res. 2004 Mar 10;294(1):244-53.
3. Science. 2004 Apr 23;304(5670):600-2.