

### **FRK Antibody**

Purified Mouse Monoclonal Antibody Catalog # AO1194a

# **Specification**

#### **FRK Antibody - Product Information**

Application WB, IHC, E
Primary Accession P42685
Reactivity Human
Host Mouse
Clonality Monoclonal
Isotype IgG1

**Description** 

FRK: fyn-related kinase. The protein encoded by this gene belongs to the TYR family of protein kinases. This tyrosine kinase is a nuclear protein and may function during G1 and S phase of the cell cycle and suppress growth.

#### **Immunogen**

Purified recombinant fragment of FRK (aa2-300) expressed in E. Coli.

#### **Formulation**

Ascitic fluid containing 0.03% sodium azide. <br/> <br/>

### **FRK Antibody - Additional Information**

#### **Gene ID 2444**

### **Other Names**

Tyrosine-protein kinase FRK, 2.7.10.2, FYN-related kinase, Nuclear tyrosine protein kinase RAK, Protein-tyrosine kinase 5, FRK, PTK5, RAK

#### **Dilution**

WB~~1/500 - 1/2000 IHC~~1/500 - 1/2000 E~~N/A

### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

### **Precautions**

FRK Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

# **FRK Antibody - Protein Information**

#### Name FRK



## Synonyms PTK5, RAK

#### **Function**

Non-receptor tyrosine-protein kinase that negatively regulates cell proliferation. Positively regulates PTEN protein stability through phosphorylation of PTEN on 'Tyr-336', which in turn prevents its ubiquitination and degradation, possibly by reducing its binding to NEDD4. May function as a tumor suppressor.

## **Cellular Location**

Cytoplasm. Nucleus. Note=Predominantly found in the nucleus, with a small fraction found in the cell periphery

#### **Tissue Location**

Predominantly expressed in epithelial derived cell lines and tissues, especially normal liver, kidney, breast and colon

### **FRK Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# FRK Antibody - Images




Figure 1: Western blot analysis using FRK mouse mAb against HEK293T cells transfected with the pCMV6-ENTRY control (1) and pCMV6-ENTRY FRK cDNA (2).






Figure 2: Western blot analysis using FRK mouse mAb against truncated FRK-His recombinant protein (1).




Figure 3: Immunohistochemical analysis of paraffin-embedded human Breast tissues using FRK mouse mAb.

# **FRK Antibody - References**

1. Int J Cancer. 1993 Jun 19;54(4):571-7. 2. Proc Natl Acad Sci U S A. 2002 Dec 24;99(26):16899-903. 3. Neurosci Lett. 2004 Apr 22;360(1-2):109-11.