

THY1 Antibody

Purified Mouse Monoclonal Antibody Catalog # AO1848a

Specification

THY1 Antibody - Product Information

WB, IHC, ICC, E Application **Primary Accession** P04216 Reactivity Human Host Mouse Clonality **Monoclonal** Isotype laG1 Calculated MW 18kDa KDa Description THY1 may play a role in cell-cell or cell-ligand interactions during synaptogenesis and other events in the brain

Immunogen Purified recombinant fragment of human THY1 (AA: 17-132) expressed in E. Coli.

Formulation Purified antibody in PBS with 0.05% sodium azide

THY1 Antibody - Additional Information

Gene ID 7070

Other Names Thy-1 membrane glycoprotein, CDw90, Thy-1 antigen, CD90, THY1

Dilution WB~~1/500 - 1/2000 IHC~~1/200 - 1/1000 ICC~~N/A E~~1/10000

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions THY1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

THY1 Antibody - Protein Information

Name THY1



Function

May play a role in cell-cell or cell-ligand interactions during synaptogenesis and other events in the brain.

Cellular Location Cell membrane; Lipid-anchor, GPI- anchor

THY1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- <u>Flow Cytomety</u>
- <u>Cell Culture</u>




Figure 1: Western blot analysis using THY1 mAb against human THY1 recombinant protein. (Expected MW is 38.5 kDa)






Figure 2: Western blot analysis using THY1 mAb against HEK293 (1) and THY1 (AA: 17-132)-hlgGFc transfected HEK293 (2) cell lysate.




Figure 3: Western blot analysis using THY1 mouse mAb against T47D (1), HepG2 (2) and PC-12 (3) cell lysate.




Figure 4: Immunofluorescence analysis of Hela cells using THY1 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.






Figure 5: Immunohistochemical analysis of paraffin-embedded endometrial cancer tissues using THY1 mouse mAb with DAB staining.




Figure 6: Immunohistochemical analysis of paraffin-embedded cerebellum tissues using THY1 mouse mAb with DAB staining.

THY1 Antibody - Background

This gene encodes a zinc finger transcription factor. The encoded protein likely plays a role in transcriptional repression of interleukin 2. Mutations in this gene have been associated with posterior polymorphous corneal dystrophy-3 and late-onset Fuchs endothelial corneal dystrophy. Alternatively spliced transcript variants encoding different isoforms have been described. ; ;

THY1 Antibody - References

1. Acta Histochem. 2011 Dec;113(8):833-8. 2. J Immunol. 2012 Feb 1;188(3):981-91.