

PPP1R1B Antibody

Purified Mouse Monoclonal Antibody Catalog # AO1879a

Specification

PPP1R1B Antibody - Product Information

WB, E Application **Primary Accession 09UD71** Reactivity Human Host Mouse Clonality **Monoclonal** Isotype laG1 Calculated MW 23kDa KDa

Description

This gene encodes a bifunctional signal transduction molecule. Dopaminergic and glutamatergic receptor stimulation regulates its phosphorylation and function as a kinase or phosphatase inhibitor. As a target for dopamine, this gene may serve as a therapeutic target for neurologic and psychiatric disorders. Multiple transcript variants encoding different isoforms have been found for this gene.

Immunogen

Purified recombinant fragment of human PPP1R1B (AA: 95-204) expressed in E. Coli.

Formulation

Purified antibody in PBS with 0.05% sodium azide

PPP1R1B Antibody - Additional Information

Gene ID 84152

Other Names

Protein phosphatase 1 regulatory subunit 1B, DARPP-32, Dopamine- and cAMP-regulated neuronal phosphoprotein, PPP1R1B, DARPP32

Dilution

WB~~1/500 - 1/2000 E~~1/10000

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

PPP1R1B Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

PPP1R1B Antibody - Protein Information



Name PPP1R1B

Synonyms DARPP32


Function Inhibitor of protein-phosphatase 1.

Cellular Location Cytoplasm.

PPP1R1B Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture








Figure 1: Western blot analysis using PPP1R1B mAb against human PPP1R1B (AA: 95-204) recombinant protein. (Expected MW is 38.3 kDa)




Figure 2: Western blot analysis using PPP1R1B mAb against HEK293 (1) and PPP1R1B (AA: 95-204)-hlgGFc transfected HEK293 (2) cell lysate.

PPP1R1B Antibody - Background

This gene encodes a common acute lymphocytic leukemia antigen that is an important cell surface marker in the diagnosis of human acute lymphocytic leukemia (ALL). This protein is present on leukemic cells of pre-B phenotype, which represent 85% of cases of ALL. This protein is not restricted to leukemic cells, however, and is found on a variety of normal tissues. It is a glycoprotein that is particularly abundant in kidney, where it is present on the brush border of proximal tubules and on glomerular epithelium. The protein is a neutral endopeptidase that cleaves peptides at the amino side of hydrophobic residues and inactivates several peptide hormones including glucagon, enkephalins, substance P, neurotensin, oxytocin, and bradykinin. This gene, which encodes a 100-kD type II transmembrane glycoprotein, exists in a single copy of greater than 45 kb. The 5' untranslated region of this gene is alternatively spliced, resulting in four separate mRNA transcripts. The coding region is not affected by alternative splicing.;

PPP1R1B Antibody - References

1. Med Mol Morphol. 2011 Dec;44(4):190-9. 2. Breast Cancer Res Treat. 2010 Feb;120(1):47-57.