

**ZNF595 Antibody (C-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP10304b****Specification**

---

**ZNF595 Antibody (C-term) - Product Information**

Application	WB, IHC-P,E
Primary Accession	<a href="#">Q8IYB9</a>
Other Accession	<a href="#">NP_872330.1</a>
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	74302
Antigen Region	564-593

**ZNF595 Antibody (C-term) - Additional Information****Gene ID** 152687**Other Names**

Zinc finger protein 595, ZNF595

**Target/Specificity**

This ZNF595 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 564-593 amino acids from the C-terminal region of human ZNF595.

**Dilution**

WB~~1:1000

IHC-P~~1:50~100

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

ZNF595 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**ZNF595 Antibody (C-term) - Protein Information****Name** ZNF595**Function** May be involved in transcriptional regulation.


**Cellular Location**

Nucleus.


**ZNF595 Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**ZNF595 Antibody (C-term) - Images**

ZNF595 Antibody (C-term) (Cat. #AP10304b) western blot analysis in mouse cerebellum tissue lysates (35ug/lane). This demonstrates the ZNF595 antibody detected the ZNF595 protein (arrow).



ZNF595 antibody (C-term) (Cat. #AP10304b) immunohistochemistry analysis in formalin fixed and paraffin embedded human prostate carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the ZNF595 antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

**ZNF595 Antibody (C-term) - References**

Gerhard, D.S., et al. Genome Res. 14 (10B), 2121-2127 (2004) :