

VWA3B Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10305b**Specification**

VWA3B Antibody (C-term) - Product Information

Application	FC, IHC-P, WB,E
Primary Accession	Q502W6
Other Accession	NP_659429.4
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	1178-1207

VWA3B Antibody (C-term) - Additional Information**Gene ID** 200403**Other Names**

von Willebrand factor A domain-containing protein 3B, VWA3B

Target/Specificity

This VWA3B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1178-1207 amino acids from the C-terminal region of human VWA3B.

Dilution

FC~~1:10~50

IHC-P~~1:50~100

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

VWA3B Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

VWA3B Antibody (C-term) - Protein Information**Name** VWA3B


Cellular Location

Cytoplasm.


VWA3B Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

VWA3B Antibody (C-term) - Images

VWA3B Antibody (C-term) (Cat. #AP10305b) western blot analysis in mouse Neuro-2a cell line lysates (35ug/lane). This demonstrates the VWA3B antibody detected the VWA3B protein (arrow).



VWA3B antibody (C-term) (Cat. #AP10305b) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the VWA3B antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



VWA3B Antibody (C-term) (Cat. #AP10305b) flow cytometric analysis of Neuro-2a cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

VWA3B Antibody (C-term) - References

Rose, J. Phd, et al. Mol. Med. (2010) In press :