

HHIPL2 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10367c**Specification**

HHIPL2 Antibody (Center) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q6UWX4
Other Accession	NP_079022.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	80779
Antigen Region	290-318

HHIPL2 Antibody (Center) - Additional Information**Gene ID** 79802**Other Names**

HHIP-like protein 2, HHIPL2, HHIP3, KIAA1822L

Target/Specificity

This HHIPL2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 290-318 amino acids from the Central region of human HHIPL2.

Dilution

WB~~1:1000

IHC-P~~1:50~100

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

HHIPL2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

HHIPL2 Antibody (Center) - Protein Information**Name** HHIPL2

Synonyms HHIP3, KIAA1822L


Cellular Location
Secreted.

HHIPL2 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

HHIPL2 Antibody (Center) - Images



HHIPL2 Antibody (Center) (Cat. #AP10367c) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the HHIPL2 antibody detected the HHIPL2 protein (arrow).



HHIPL2 antibody (Center) (Cat. #AP10367c) immunohistochemistry analysis in formalin fixed and paraffin embedded human pancreas tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the HHIPL2 antibody (Center) for

immunohistochemistry. Clinical relevance has not been evaluated.

HHIPL2 Antibody (Center) - References

Rose, J. Phd, et al. Mol. Med. (2010) In press :
Clark, H.F., et al. Genome Res. 13(10):2265-2270(2003)
Venter, J.C., et al. Science 291(5507):1304-1351(2001)