

PHTF2 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10436c

Specification

PHTF2 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	Q8N3S3
Other Accession	Q5ZKN3 , NP_001120829.1 , NP_001120830.1 , NP_065165.3
Reactivity	Human, Mouse
Predicted	Chicken
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	88757
Antigen Region	420-448

PHTF2 Antibody (Center) - Additional Information

Gene ID 57157

Other Names

Putative homeodomain transcription factor 2, PHTF2

Target/Specificity

This PHTF2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 420-448 amino acids from the Central region of human PHTF2.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

PHTF2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

PHTF2 Antibody (Center) - Protein Information

Name PHTF2


Cellular Location

Membrane; Multi-pass membrane protein

PHTF2 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PHTF2 Antibody (Center) - Images

PHTF2 Antibody (Center) (Cat. #AP10436c) western blot analysis in mouse heart tissue lysates (15ug/lane). This demonstrates the PHTF2 antibody detected PHTF2 protein (arrow).

PHTF2 Antibody (Center) - References

Kottgen, A., et al. Nat. Genet. 42(5):376-384(2010)
Simpson, J.C., et al. EMBO Rep. 1(3):287-292(2000)
Manuel, A., et al. Genomics 64(2):216-220(2000)