

ZN169 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10508a**Specification**

ZN169 Antibody (N-term) - Product Information

Application	FC, WB,E
Primary Accession	Q14929
Other Accession	NP_919301.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	68488
Antigen Region	131-159

ZN169 Antibody (N-term) - Additional Information**Gene ID** 169841**Other Names**

Zinc finger protein 169, ZNF169

Target/Specificity

This ZN169 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 131-159 amino acids from the N-terminal region of human ZN169.

Dilution

FC~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZN169 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZN169 Antibody (N-term) - Protein Information**Name** ZNF169

Function May be involved in transcriptional regulation.

Cellular Location

Nucleus.

Tissue Location


Highly expressed in kidney, weakly expressed in heart, liver, spleen, and small intestine. Not expressed in adult brain or spinal cord

ZN169 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZN169 Antibody (N-term) - Images



ZN169 Antibody (N-term) (Cat. #AP10508a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the ZN169 antibody detected the ZN169 protein (arrow).



ZN169 Antibody (N-term) (Cat. #AP10508a) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

ZN169 Antibody (N-term) - Background

May be involved in transcriptional regulation.

ZN169 Antibody (N-term) - References

- Tsuritani, K., et al. Genome Res. 17(7):1005-1014(2007)
 Blair, I.P., et al. Genomics 51(2):277-281(1998)
 Chidambaram, A., et al. Genes Chromosomes Cancer 18(3):212-218(1997)
 Levanat, S., et al. Cytogenet. Cell Genet. 76 (3-4), 208-213 (1997) :