

ZNF780A Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10536a**Specification**

ZNF780A Antibody (N-term) - Product Information

Application	FC, WB,E
Primary Accession	O75290
Other Accession	NP_001136051.1 , NP_001010880.2 , NP_001136050.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	74531
Antigen Region	54-83

ZNF780A Antibody (N-term) - Additional Information**Gene ID** 284323**Other Names**

Zinc finger protein 780A, ZNF780A

Target/Specificity

This ZNF780A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 54-83 amino acids from the N-terminal region of human ZNF780A.

Dilution

FC~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF780A Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF780A Antibody (N-term) - Protein Information**Name** ZNF780A

Function May be involved in transcriptional regulation.


Cellular Location
Nucleus.

ZNF780A Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF780A Antibody (N-term) - Images



ZNF780A Antibody (N-term) (Cat. #AP10536a) western blot analysis in 293 cell line lysates (35ug/lane). This demonstrates the ZNF780A antibody detected the ZNF780A protein (arrow).



ZNF780A Antibody (N-term) (Cat. #AP10536a) flow cytometric analysis of 293 cells (right

histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

ZNF780A Antibody (N-term) - Background

May be involved in transcriptional regulation (By similarity).

ZNF780A Antibody (N-term) - References

Grimwood, J., et al. Nature 428(6982):529-535(2004)