

ZNF517 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10588b**Specification**

ZNF517 Antibody (C-term) - Product Information

Application	FC, WB,E
Primary Accession	Q6ZMY9
Other Accession	NP_998770.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	54711
Antigen Region	459-489

ZNF517 Antibody (C-term) - Additional Information**Gene ID** 340385**Other Names**

Zinc finger protein 517, ZNF517

Target/Specificity

This ZNF517 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 459-489 amino acids from the C-terminal region of human ZNF517.

Dilution

FC~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF517 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF517 Antibody (C-term) - Protein Information**Name** ZNF517

Function May be involved in transcriptional regulation.


Cellular Location
Nucleus.

ZNF517 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF517 Antibody (C-term) - Images



ZNF517 Antibody (C-term) (Cat. #AP10588b) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the ZNF517 antibody detected the ZNF517 protein (arrow).



ZNF517 Antibody (C-term) (Cat. #AP10588b) flow cytometric analysis of K562 cells (right

histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

ZNF517 Antibody (C-term) - Background

May be involved in transcriptional regulation.

ZNF517 Antibody (C-term) - References

Kimura, K., et al. Genome Res. 16(1):55-65(2006)
Ota, T., et al. Nat. Genet. 36(1):40-45(2004)
Strausberg, R.L., et al. Proc. Natl. Acad. Sci. U.S.A. 99(26):16899-16903(2002)