

ZNF30 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10606a**Specification**

ZNF30 Antibody (N-term) - Product Information

Application	FC, IHC-P, WB,E
Primary Accession	P17039
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	71417
Antigen Region	1-30

ZNF30 Antibody (N-term) - Additional Information**Gene ID** 90075**Other Names**

Zinc finger protein 30, Zinc finger protein KOX28, ZNF30, KOX28

Target/Specificity

This ZNF30 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human ZNF30.

Dilution

FC~~1:10~50

IHC-P~~1:50~100

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF30 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF30 Antibody (N-term) - Protein Information**Name** ZNF30

Synonyms KOX28

Function May be involved in transcriptional regulation.


Cellular Location
Nucleus.

ZNF30 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ZNF30 Antibody (N-term) - Images



ZNF30 Antibody (N-term) (Cat. #AP10606a) western blot analysis in HL-60 cell line lysates (35ug/lane). This demonstrates the ZNF30 antibody detected the ZNF30 protein (arrow).



ZNF30 antibody (N-term) (Cat. #AP10606a) immunohistochemistry analysis in formalin fixed and paraffin embedded human lung carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the ZNF30 antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



ZNF30 Antibody (N-term) (Cat. #AP10606a) flow cytometric analysis of HL-60 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

ZNF30 Antibody (N-term) - Background

May be involved in transcriptional regulation.