

RBM43 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10608a**Specification**

RBM43 Antibody (N-term) - Product Information

Application	FC, IHC-P, WB,E
Primary Accession	Q6ZSC3
Other Accession	NP_940959.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	21-49

RBM43 Antibody (N-term) - Additional Information**Gene ID** 375287**Other Names**

RNA-binding protein 43, RNA-binding motif protein 43, RBM43, C2orf38

Target/Specificity

This RBM43 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 21-49 amino acids from the N-terminal region of human RBM43.

Dilution

FC~~1:10~50

IHC-P~~1:50~100

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

RBM43 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

RBM43 Antibody (N-term) - Protein Information**Name** RBM43


Synonyms C2orf38

RBM43 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


RBM43 Antibody (N-term) - Images



RBM43 Antibody (N-term) (Cat. #AP10608a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the RBM43 antibody detected the RBM43 protein (arrow).



RBM43 antibody (N-term) (Cat. #AP10608a) immunohistochemistry analysis in formalin fixed and paraffin embedded human lung carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the RBM43 antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



RBM43 Antibody (N-term) (Cat. #AP10608a) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

RBM43 Antibody (N-term) - References

Kimura, K., et al. Genome Res. 16(1):55-65(2006) Ota, T., et al. Nat. Genet. 36(1):40-45(2004)
Strausberg, R.L., et al. Proc. Natl. Acad. Sci. U.S.A. 99(26):16899-16903(2002)