

TEX9 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10612a**Specification**

TEX9 Antibody (N-term) - Product Information

Application	WB, FC, IHC-P,E
Primary Accession	Q8N6V9
Other Accession	NP_940926.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	44826
Antigen Region	42-70

TEX9 Antibody (N-term) - Additional Information**Gene ID** 374618**Other Names**

Testis-expressed sequence 9 protein, TEX9

Target/Specificity

This TEX9 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 42-70 amino acids from the N-terminal region of human TEX9.

Dilution

WB~~1:1000
FC~~1:10~50
IHC-P~~1:50~100
E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TEX9 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TEX9 Antibody (N-term) - Protein Information**Name** TEX9


Cellular Location

Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriolar satellite


TEX9 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TEX9 Antibody (N-term) - Images

TEX9 Antibody (N-term) (Cat. #AP10612a) western blot analysis in K562,CEM cell line lysates (35ug/lane).This demonstrates the TEX9 antibody detected the TEX9 protein (arrow).



TEX9 antibody (N-term) (Cat. #AP10612a) immunohistochemistry analysis in formalin fixed and paraffin embedded human testis carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the TEX9 antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



TEX9 Antibody (N-term) (Cat. #AP10612a) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

TEX9 Antibody (N-term) - Background

The specific function of TEX9 remains unknown.

TEX9 Antibody (N-term) - References

Gerhard, D.S., et al. Genome Res. 14 (10B), 2121-2127 (2004) :