

C15orf41 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10700c**Specification**

C15orf41 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	O9Y2V0
Other Accession	Q3U4G0 , NP_115888.1
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	32264
Antigen Region	167-193

C15orf41 Antibody (Center) - Additional Information**Gene ID** 84529**Other Names**

Uncharacterized protein C15orf41, Protein HH114, C15orf41

Target/Specificity

This C15orf41 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 167-193 amino acids from the Central region of human C15orf41.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

C15orf41 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

C15orf41 Antibody (Center) - Protein Information**Name** CDIN1 ([HGNC:26929](#))**Synonyms** C15orf41

Function Plays a role in erythroid cell differentiation.

Cellular Location


Nucleus. Cytoplasm. Note=Mainly nuclear

C15orf41 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

C15orf41 Antibody (Center) - Images



C15orf41 Antibody (Center) (Cat. #AP10700c) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the C15orf41 antibody detected the C15orf41 protein (arrow).



C15orf41 Antibody (Center) (Cat. #AP10700c) western blot analysis in mouse bladder tissue lysates (35ug/lane). This demonstrates the C15orf41 antibody detected the C15orf41 protein

(arrow).

C15orf41 Antibody (Center) - References

Bailey, S.D., et al. Diabetes Care 33(10):2250-2253(2010)
Talmud, P.J., et al. Am. J. Hum. Genet. 85(5):628-642(2009)
Lamesch, P., et al. Genomics 89(3):307-315(2007)
Ewing, R.M., et al. Mol. Syst. Biol. 3, 89 (2007) :