

CASKIN2 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10948c**Specification**

CASKIN2 Antibody (Center) - Product Information

Application	IHC-P, WB,E
Primary Accession	Q8WXE0
Other Accession	NP_001136115.1 , NP_065804.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	126783
Antigen Region	714-741

CASKIN2 Antibody (Center) - Additional Information**Gene ID** 57513**Other Names**

Caskin-2, CASK-interacting protein 2, CASKIN2, KIAA1139

Target/Specificity

This CASKIN2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 714-741 amino acids from the Central region of human CASKIN2.

Dilution

IHC-P~~1:50~100

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CASKIN2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

CASKIN2 Antibody (Center) - Protein Information**Name** CASKIN2

Synonyms KIAA1139

Cellular Location


Cytoplasm.

CASKIN2 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CASKIN2 Antibody (Center) - Images



CASKIN2 Antibody (Center) (Cat. #AP10948c) western blot analysis in MCF-7 cell line lysates (35ug/lane). This demonstrates the CASKIN2 antibody detected the CASKIN2 protein (arrow).



CASKIN2 antibody (Center) (Cat. #AP10948c) immunohistochemistry analysis in formalin fixed and paraffin embedded human lung carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the CASKIN2

antibody(Center) for immunohistochemistry. Clinical relevance has not been evaluated.

CASKIN2 Antibody (Center) - References

Olsen, J.V., et al. Cell 127(3):635-648(2006)
Tao, W.A., et al. Nat. Methods 2(8):591-598(2005)
Rush, J., et al. Nat. Biotechnol. 23(1):94-101(2005)
Tabuchi, K., et al. J. Neurosci. 22(11):4264-4273(2002)