

OR5L2 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11066a**Specification**

OR5L2 Antibody (N-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q8NGL0
Other Accession	Q8NGL2 , NP_001004739.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	34682
Antigen Region	62-90

OR5L2 Antibody (N-term) - Additional Information**Gene ID** 26338**Other Names**

Olfactory receptor 5L2, HTPCRX16, Olfactory receptor OR11-153, OR5L2

Target/Specificity

This OR5L2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 62-90 amino acids from the N-terminal region of human OR5L2.

Dilution

WB~~1:1000

IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

OR5L2 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

OR5L2 Antibody (N-term) - Protein Information**Name** OR5L2**Function** Odorant receptor.


Cellular Location

Cell membrane; Multi-pass membrane protein.


OR5L2 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

OR5L2 Antibody (N-term) - Images

OR5L2 Antibody (N-term) (Cat. #AP11066a) western blot analysis in CEM, HeLa cell line lysates (35ug/lane). This demonstrates the OR5L2 antibody detected the OR5L2 protein (arrow).



OR5L2 antibody (N-term) (Cat. #AP11066a) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the OR5L2 antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

OR5L2 Antibody (N-term) - Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

OR5L2 Antibody (N-term) - References

Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004)
Fuchs, T., et al. Genomics 80(3):295-302(2002)
Parmentier, M., et al. Nature 355(6359):453-455(1992)