

TTC9C Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11171a**Specification**

TTC9C Antibody (N-term) - Product Information

Application	WB, IHC-P, FC,E
Primary Accession	Q8N5M4
Other Accession	Q6P5P3 , Q810A3 , Q9BGT1 , NP_776171.1
Reactivity	Human
Predicted	Monkey, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	20013
Antigen Region	1-30

TTC9C Antibody (N-term) - Additional Information**Gene ID** 283237**Other Names**

Tetratricopeptide repeat protein 9C, TPR repeat protein 9C, TTC9C

Target/Specificity

This TTC9C antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human TTC9C.

Dilution

WB~~1:1000

IHC-P~~1:50~100

FC~~1:10~50

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TTC9C Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TTC9C Antibody (N-term) - Protein Information


Name TTC9C

TTC9C Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


TTC9C Antibody (N-term) - Images



TTC9C Antibody (N-term) (Cat. #AP11171a) western blot analysis in Ramos cell line lysates (35ug/lane). This demonstrates the TTC9C antibody detected the TTC9C protein (arrow).



TTC9C Antibody (N-term) (Cat. #AP11171a) immunohistochemistry analysis in formalin fixed and paraffin embedded human breast carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of TTC9C Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



TTC9C Antibody (N-term) (Cat. #AP11171a) flow cytometric analysis of Ramos cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

TTC9C Antibody (N-term) - Background

The specific function of the protein remains unknown.

TTC9C Antibody (N-term) - References

Martins-de-Souza, D., et al. Eur Arch Psychiatry Clin Neurosci 259(3):151-163(2009)