

TMEM151B Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11246a**Specification**

TMEM151B Antibody (N-term) - Product Information

Application	FC, WB,E
Primary Accession	Q8IW70
Other Accession	NP_001131032.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	61506
Antigen Region	127-155

TMEM151B Antibody (N-term) - Additional Information**Gene ID** 441151**Other Names**

Transmembrane protein 151B, Transmembrane protein 193, TMEM151B, C6orf137, TMEM193

Target/Specificity

This TMEM151B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 127-155 amino acids from the N-terminal region of human TMEM151B.

Dilution

FC~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TMEM151B Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TMEM151B Antibody (N-term) - Protein Information**Name** TMEM151B

Synonyms C6orf137, TMEM193

Cellular Location


Membrane; Multi-pass membrane protein

TMEM151B Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TMEM151B Antibody (N-term) - Images



TMEM151B Antibody (N-term) (Cat. #AP11246a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the TMEM151B antibody detected the TMEM151B protein (arrow).



TMEM151B Antibody (N-term) (Cat. #AP11246a) flow cytometric analysis of K562 cells (right

histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

TMEM151B Antibody (N-term) - References

Hosgood, H.D. III, et al. Occup Environ Med 66(12):848-853(2009)
Tsai, J.Y., et al. Nat. Genet. 8(4):321-322(1994)