

GAGE12B Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11254a**Specification**

GAGE12B Antibody (N-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	A1L429
Other Accession	O9UEU5 , A6NER3 , POCL82 , A6NDE8 , POCL81 , POCL80 , O76087 , Q13070 , Q13069 , Q13068 , Q13067 , Q13065 , Q4V326 , Q13066 , Q6NT46 , Q4V321 , A6NGK3 , NP_001120817.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	12925
Antigen Region	21-49

GAGE12B Antibody (N-term) - Additional Information

Gene ID 100132399;729422;729428;729431

Other Names

G antigen 12B/C/D/E, GAGE-12B, GAGE-12C, GAGE-12D, GAGE-12E, GAGE12B

Target/Specificity

This GAGE12B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 21-49 amino acids from the N-terminal region of human GAGE12B.

Dilution

WB~~1:1000
IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

GAGE12B Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

GAGE12B Antibody (N-term) - Protein Information


Name GAGE12B

GAGE12B Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GAGE12B Antibody (N-term) - Images



GAGE12B Antibody (N-term) (Cat. #AP11254a) western blot analysis in T47D cell line lysates (35ug/lane). This demonstrates the GAGE12B antibody detected the GAGE12B protein (arrow).



GAGE12B Antibody (N-term) (Cat. #AP11254a) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of GAGE12B Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

GAGE12B Antibody (N-term) - References

Gjerstorff, M.F., et al. Tissue Antigens 71(3):187-192(2008)
Harrington, J.J., et al. Nat. Biotechnol. 19(5):440-445(2001)