

ANKRD5 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11263B**Specification**

ANKRD5 Antibody (C-term) - Product Information

Application	IHC-P, WB,E
Primary Accession	O9NU02
Other Accession	NP_071379.3
Reactivity	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	86664
Antigen Region	721-749

ANKRD5 Antibody (C-term) - Additional Information**Gene ID** 63926**Other Names**

Ankyrin repeat and EF-hand domain-containing protein 1, Ankyrin repeat domain-containing protein 5, ANKEF1, ANKRD5

Target/Specificity

This ANKRD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 721-749 amino acids from the C-terminal region of human ANKRD5.

Dilution

IHC-P~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ANKRD5 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ANKRD5 Antibody (C-term) - Protein Information**Name** ANKEF1


Synonyms ANKRD5

ANKRD5 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ANKRD5 Antibody (C-term) - Images



ANKRD5 Antibody (C-term) (Cat. #AP11263b) western blot analysis in mouse testis tissue lysates (35ug/lane). This demonstrates the ANKRD5 antibody detected the ANKRD5 protein (arrow).



ANKRD5 Antibody (C-term) (Cat. #AP11263b) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ANKRD5 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

ANKRD5 Antibody (C-term) - References

Deloukas, P., et al. Nature 414(6866):865-871(2001)